

LOCKOUT TAGOUT

When equipment is being worked on or should not be operated for another reason, lockout/tagout procedures should be followed. The power source(s) should be locked out by the operator or maintenance personnel, and a tag with appropriate verbiage should accompany the lockout device. This procedure is in place to keep others from starting equipment back up at inopportune times.




What is Lockout/Tagout?

Lockout/Tagout is a procedure that physically isolates machines/equipment from one or more energy sources. It is widely used in manufacturing plants to prevent the accidental release of energy during maintenance, servicing and repair operations.

Note: Simply hitting a STOP button and engaging a tab-over is NOT Lockout/Tagout. In fact, OSHA does not even consider or allow panel-type controls to serve as disconnecting means. These types of controls do nothing to physically disconnect the circuit operations.

For information on OSHA regulations, visit Hyperlink, "<http://www.osha.gov>" www.osha.gov
Source: www.accuform.com





Lock Boxes

Features:

- Accepts up to 13 individual locks.
- Simplifies lockout of large equipment.
- Ensures that no one employee has access to the box unless ALL employees have removed their locks or tags.

SKU	Width	Length	Height
262-65699	4 1/2 in	11 in	8 in



Group Lock Boxes

Features:

- Sturdy, tamper-resistant lock boxes.
- Heavy steel box ensures safety.
- Use them to keep pad locks secure between jobs.

No. of Padlocks: 13

Depicted Text: Do Not Operate

SKU	Width	Length
068-GLB03/E	4.5 in	11.5 in



Group Lock Boxes

Features:

- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

Material: Steel

SKU	Width	Length	Height
470-498A	3 3/4 in	9 1/4 in	6 in



Safety Series™ Latch Tight™ Lock Boxes

Features:

- Exclusive Latch Tight™ feature ensures that keys cannot be accessed until the very last lock is removed regardless of padlock shackle diameter or length.
- Integrated storage organizes up to 12 keys or hundreds of bulk keys.
- Up to 14 workers can apply their personal safety padlocks or hasps.

Material: Steel

SKU	Width	Length	Height
470-503RED	6 3/8 in	3 1/2 in	12 3/4 in



Safety Series™ Lockout Stations with Key Registration Card

Features:

- Exclusive translucent cover protects contents.
- Easy-to-carry, zippered pouch holds a worker's personal padlocks and other small lockout devices.
- Innovative hinge holds cover open for easy product selection.
- Integrated, one-piece molded construction eliminates loose parts.
- Key registration card included to track and record all key codes in the facility.
- Lockable to prevent loss of valuable safety lockout padlocks.
- Reinforced snap lock clips provide easy padlock and hasp storage and removal.
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations.

SKU	Length	Width	No. of Padlocks	Includes	Depicted Text	Color
470-1483BP410	15 1/2 in	15 1/2 in - 22 in	10 Zenex™	(10) 410RED Padlocks; (2) 420 Hasps; (2) 497A Tags (12/pk)	—	Black; Red; Yellow
470-1483BP1106	15 1/2 in	22 in	10	(10) 1106RED Padlocks; (2) 420 Hasps; (2) 497A Tags (12/pk)	Danger Do Not Operate	Red
470-1482BP3	12 1/4 in	16 in	4	(1) 497A Tags (12/pk); (2) 420 Hasps; (4) 3RED Padlocks	Danger Do Not Operate	Yellow



Lockout Hasps

Features:

- Sturdy lockout hasp accepts 6 padlocks.
- Locking tabs provide extra pry resistance.
- The red coating on the handle identifies safety application.

Width: 1.75 in -

No. of Padlocks: 6

Used With: Padlocks

SKU	Type	Length
045-AL080	Lockout Hasp with Locking Tabs	4.5 in



Safety Lockout Hasps

Features:

- Compatible with No. 3, 410, 411 and 6835 safety lockout padlocks.
- Allows for lockout by up to six workers.
- Heavy gauge steel resists prying.

No. of Padlocks: 6

Used With: Lockout Points

SKU	Type	Length	Width	Shackle Length
470-420	Lockout Hasp	4 1/2 in	1 3/4 in	1 in
470-421	Lockout Hasp	5 in	2 3/4 in	1 1/2 in



Safety Series™ Lockout Hasps

Features:

- Keeps equipment inoperative while repairs are being made.
- Attach device to energy disconnect switch.
- Control cannot be turned on until last workers padlock is removed.

No. of Padlocks: 6

SKU	Length	Width	Shackle Length	Used With
470-416	4 3/8 in	- 1 1/2 in	1 in	Lockout Points
470-417	4 7/8 in	- 2 in	1 1/2 in	Up to six padlocks



General Use Hasps

Features:

- Tamper-proof hinge.
- Hardened steel staple.
- Hard wrought steel body.
- Hardened steel locking eye.

Includes: Mounting hardware

Used With: Shackles up to 11/32 dia

SKU	Type	Length
470-703-D	Plain Hasp	3 1/2 in



M-Safe Safety Lockout Hasps

Features:

- Unbreakable.
- Highly flexible.
- Holds 6 padlocks.
- Dielectric.

No. of Padlocks: 6

Used With: Up to six padlocks

SKU	Type
068-MS01	Lockout Hasp



Straight Bar Hasps

Features:

- Heavy-duty, hardened steel hasps resist cutting and sawing and are a superior choice for commercial and industrial use on warehouses, utility rooms, storage buildings, van doors and vending machines.
- Hardened steel staple resists cutting, sawing and hammering.
- Zinc plated for added strength and weather resistance.
- Mounting hardware is included for easy installation.

No. of Padlocks: 1

Includes: Mounting hardware

Used With: Padlocks

SKU	Width	Length
045-A825	1 5/8 in	7 1/4 in



Breaker Lockouts

Features:

- Circuit breaker lockouts work on a wide range of breakers that include single- and multi-pole breaker configurations.
- Snap-on and clamp-on breaker lockout options accommodate almost any situation.

Width: 7 in

Length: 5.3 in

SKU	Shackle Length	No. of Padlocks	Includes	Used With
262-65966	9/32 in dia	6	Cleats; Lockouts	Lockout Shackles up to 9/32 in (dia)
262-65965	9/32 in dia	Not included	Six thumbscrew lockouts with pull over lock covers	120/277 V Breakers



Prinzing Economy Lockout Kits

Features:

- Convenient economy lockout kit provides 9 components to ensure equipment is either de-energized or locked out.
- The padlocks included in this kit are keyed differently (each lock has its own unique key).
- The kit includes a rugged polyethylene carrying case.

Test & Approvals: OSHA Regulation 1910.47

No. of Padlocks: 3

Includes: 3-1 1/2" Steel Lockout Hasps (T220); 3-Blue Prinzing Padlocks (LC041-BU); 14-2 Padlock Identifier Stickers (LID-2); 1-10 Pack Lockout Tags With Ties (LT-10); 3-Single Pole Breaker Lockouts (BL01); 2-Multi-Pole Breaker Lockouts (BL03); 1-Large Plug Lockout (PL023-BI); 1-Lockout Training Booklet (2112X); 1-Rugged Polyethylene Carrying Case (7"H x 12"W x 5"D)

Used With: Single/Multi-Pole Breakers; Electrical Plugs

Depicted Text: Danger

SKU	Width	Length
262-LKX	8.4 in	6 1/2 in



Safety Series™ Personal Lockout Kits

Features:

- Available with your choice of three padlock styles.
- Carrying case keeps important lockout devices and padlocks together.
- Kits include high use components satisfying most applications.
- Personal kits for individual workers with keyed alike padlocks for worker convenience.

No. of Padlocks: 3 Zenex™

Includes: (1) 420 Hasp; (1) 427 Snap-On Hasp; (1) 492 Breaker Lockout; (1) 494 Breaker Lockout; (1) 495 Breaker Lockout; (1) 496 Wall Switch Lockout; (1) 497A Tags (12/pk); (1) 7C5RED Breaker Switch Padlock; (2) 493 Breaker Lockout; (3) 410KARED Padlocks Keyed Alike

Used With: Electrical Lockout

Depicted Text: Danger; Do Not Operate; Locked Out

SKU	Width	Length
470-1457E410KA	10 in	17 1/4 in

**Master
Lock.**


Safety Series™ “Do Not Operate” I.D. Tags

Features:

- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy-duty construction withstands up to 80 lbs.
- of pullout force (Meets OSHA Requirements).
- Prevents accidental removal.
- Customize with name, department, expected completion.
- 7/16" diameter brass grommet accepts all safety padlocks.

No. of Padlocks: 1

Includes: 12 Tags, 12 Ties

Used With: Padlocks

Depicted Text: Do Not Operate

SKU	Width	Length
470-497A	3 1/8 in	5 3/4 in



Universal Multi-Pole Breaker Lockout

Features:

- Can be used with most major multi-pole breakers that use a tie bar.
- Constructed from glass-filled nylon.
- Easy to use.
- Compatible with most major manufacturers.

No. of Padlocks: 1

Used With: Multi-Pole Breakers with Tie Bar

Color: Red

SKU	Width	Length
262-66320	3/4 in	1 in

Honeywell
NORTH


B-Safe Ball Valve Lockouts

Features:

- Fully dielectric.
- Highly resistant to cracking, abrasion, solvents and other chemical products.
- Resistant to extreme temperature changes.

No. of Padlocks: 1

Used With: Open Valves from 3/8" to 1 1/4", 7/8" Handle Width

Color: Red

SKU	Width	Length
068-BS01R	3 in	6 1/4 in

**Master
Lock.**


Grip Tight™ Circuit Breaker Lockouts

Features:

- Secure and simple mounting for a solid lockout.
- Grips tight with simple thumb turn and clamping handle.
- Accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

No. of Padlocks: 1 (not included)

Used With: Standard Single and Double Toggles

SKU	Width	Length
470-493B	3/4 in	3 in



Oversized Breaker Lockout Devices

Features:

- Made of durable polypropylene and glass-filled, impacted-modified nylon.
- Applies in seconds with thumbscrew mechanism so no screwdriver is needed.
- New blade design with improved grip on even more breaker models.

Includes: Six thumbscrew lockouts with pull over lock covers

Used With: 480/600V switches up to 2 1/4 in wide and 7/8 in thick

Color: Red

SKU	Type	Width	Length
262-65321	Circuit Breaker Lockout (Clamp-on)	7.6 in	6.7 in



Safety Series™ Plug & Control Covers

Features:

- Patent-pending lockout cinch sack offers broad application solutions.
- Insert PVC tubing (not included) to block access to control buttons.
- Flexible and durable rip-stop bag fits easily in lockout tool boxes.
- Lockout with up to 6 padlocks.
- Trilingual lock out warning printed on bag.

Used With: Up to six padlocks or lockout hasps

Depicted Text: Locked Out Do Not Remove

Color: Red

SKU	Type	Width	Length
470-453L	Oversized Plug and Hoist Control Cover	7 in dia	17 in



No. 410 & 411 Lightweight Xenoy Safety Lockout Padlocks

Features:

- Designed by safety directors specifically for OSHA lockout compliance - 1 3/4" tall.
- Durable, lightweight, non-conductive xenoy lock body.
- Customize on-site with permanent, write-on labels.
- Compliance with OSHA "One Employee, One Lock, One Key" directive.
- High Security, reserved-for-safety cylinder with up to 100,000 key changes.
- Key retaining ensures that padlocks are not left unlocked.
- Eight colors available.

No. of Padlocks: 6

SKU	Length	Shackle Length	Depicted Text	Color
470-410BLK	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Black
470-410BLU	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Blue
470-410GRN	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Green
470-410ORJ	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Orange
470-410PRP	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Purple
470-410RED	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Red
470-410YLW	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Yellow
470-410LTRED	1 3/4 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Red
470-411YLW	3 in Body	1 1/2 in	"Danger; Locked Out Do Not Remove"	Yellow
470-411RED	3 in Body	3 in	"Danger; Locked Out Do Not Remove"	Red
470-410LTREDKA*	3 in Body	3 in	"Danger; Locked Out Do Not Remove"	Red

* Keyed Alike



Zenex™ Thermoplastic Safety Lockout Padlocks with Shackles

Features:

- Marine grade stainless steel shackle provides superior corrosion resistance.
- Non-key retaining ensures padlock is not accidentally left unlocked.
- Stands up to chemicals, extreme temperatures and is UV stable.
- Includes English write-on "Danger" and "Property Of" labels.

Shackle Diam: 3/16 in

Shackle Inner Width: 5/8 in

Color: White

Shackle Material: Stainless Steel

SKU	Code Format	Shackle Length
470-S31KA-WHT	6-Pin Tumbler	1 1/2 in



Anodized Aluminum Safety Padlocks with Shackles

Features:

- Anodized aluminum body and finish suitable for lockout tagout in food processing facilities.
- Corrosion resistant finish for tough environments.
- High visibility color plus high security.
- Keyed alike five-pin tumbler rekeyable cylinder.
- Keyed alike so multiple locks open with the same key.

Shackle Diam: 1/4 in

Shackle Inner Width: 25/32 in

Color: Red

Shackle Material: Boron Alloy

SKU	Code Format	Shackle Length
045-A1106KARED	A1106KA	1 1/2 in



Solid Aluminum Padlocks

Features:

- Highly corrosion resistant.
- Laser engravable.
- Available in red, blue, black, green, orange, purple, gold, and brown colors.

Shackle Diam: 1/4 in

Shackle Inner Width: 3/4 in

Shackle Material: Case Hardened Boron Alloy Steel

SKU	Code Format	Shackle Length	Color
045-A1106BLK-KD	5-Pin Tumbler Rekeyable Cylinder	1 1/2 in	Black
045-A1107BLK-KD	5-Pin Tumbler Rekeyable Cylinder	3 in	Black
045-A1105BLU	5-Pin Tumbler Rekeyable Cylinder	1 in	Blue
045-A1106BLU-KD	5-Pin Tumbler Rekeyable Cylinder	1 1/2 in	Blue
045-A1107BLU-KD	5-Pin Tumbler Rekeyable Cylinder	3 in	Blue
045-A1106GRN-KD	5-Pin Tumbler Rekeyable Cylinder	1 1/2 in	Green
045-A1107GRN-KD	5-Pin Tumbler Rekeyable Cylinder	3 in	Green
045-A1106NRRED	5-Pin Tumbler Rekeyable Cylinder w/ Non-Removable Key Feature	1 1/2 in	Red
045-A1105RED	5-Pin Tumbler Rekeyable Cylinder	1 in	Red
045-A1106RED-KD	5-Pin Tumbler Rekeyable Cylinder	1 1/2 in	Red
045-A1107RED-KD	5-Pin Tumbler Rekeyable Cylinder	3 in	Red



Sesamee® Keyless Padlocks

Features:

- All-brass internal mechanisms for non-corrosive durability.
- Lifetime guarantee.
- You set the combination.

Shackle Diam: 5/16 in

Shackle Inner Width: 1 in

Shackle Material: Hardened Steel

SKU	Code Format	Shackle Length	Color
197-K500-2-1/4	4 Step Dial	2 1/4 in	Black
197-K500-3/4	4 Step Dial	1 in	Black
197-K0437	4 Step Dial	2 1/4 in	Silver/Black
Boxed			
197-436	4 Dials with 10,000 Possible Numeric Combinations	1 in	Brass
197-437	4 Dials with 10,000 Possible Numeric Combinations	2 1/4 in	Brass
Carded			
197-K436	4 Dials with 10,000 Possible Numeric Combinations	1 in	Brass
197-K437	4 Dials with 10,000 Possible Numeric Combinations	2 1/4 in	Brass



Laminated Padlocks Alike Key Code 3357

Features:

- Commercial grade padlock features superior protection from drilling and prying.
- Laminated steel body with hardened steel shackle.
- 4-pin tumbler mechanism.
- Chrome with commercial dual gray bumpers.

Shackle Diam: 5/16 in

Shackle Inner Width: 3/4 in

Shackle Material: Hardened Steel



SKU	Shackle Length
470-1KA-3357	5/16 in



Laminated Padlocks Keyed Alike Key Code 0303

Features:

- Commercial grade provides super protection from drilling and picking.
- Dual-locking levers.
- Hardened steel shackle for superior cut resistance.
- Keyed Alike—order multiple locks to open with the same key or custom order to match #3 padlock.
- Best used for industrial, storefronts/business gates, tool cribs, and vending machines.

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-1KA-0303	15/16 in	5/16 in	3/4 in
470-5KA-0303	15/16 in	3/8 in	3/8 in



Laminated Padlocks Keyed Alike Key Code 2001

Features:

- Commercial grade provides super protection from drilling and picking.
- Dual-locking levers.
- Best used for industrial, storefronts/business gates, tool cribs, and vending machines.
- Hardened steel shackle for superior cut resistance.

Shackle Diam: 5/16 in

Shackle Inner Width: 3/4 in

Color: Gray; Silver

Shackle Material: Laminated Steel



SKU	Shackle Length
470-1KA-2001	15/16 in

LOCKOUT TAGOUT



Laminated Steel Pin Tumbler Padlocks

Features:

- Commercial grade padlock features superior protection from drilling and prying.
- Laminated steel body for superior strength.
- Hardened boron alloy shackle for superior cut resistance.
- Dual locking levers provide extra pry resistance.
- Non-rekeyable.
- Four-pin W1 cylinder helps prevent picking.

Shackle Material: Hardened Steel



SKU	Code Format	Shackle Length	Shackle Diam	Shackle Inner Width
470-3KA-3303	3KA	1 in	9/32 in	5/8 in
470-5KA-A112	5KA	1 in	3/8 in	15/16 in
470-5KA-A383	5KA	3/4 in	3/8 in	15/16 in



No. 1 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance.
- Hardened bottom plate for drill resistance.
- Top and bottom bumpers for greater scratch resistance.
- Thousands of key changes maximize key integrity.
- Proprietary rustproofing for longer life.
- 4 pin tumbler cylinder helps prevent picking.

Shackle Diam: 5/16 in

Shackle Inner Width: 3/4 in

Shackle Material: Hardened Steel



SKU	Shackle Length
470-1DCOM	15/16 in



No. 140 Solid Brass Padlocks

Features:

- Select style and strength—this lock with a solid brass lock body is stylish and sturdy.
- Hardened steel shackle for extra cut resistance.
- 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Color: Brass

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-140D	7/8 in	1/4 in	13/16 in



No. 1500 Combination Padlocks

Features:

- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.
- 3-digit dialing and 1,500 combinations for maximum security.

Shackle Inner Width: 13/16 in

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Color
470-1500D	3/4 in	9/32 in	Black
470-1500	3/4 in	9/32 in	Silver; Black



No. 175 Combination Brass Padlocks

Features:

- Set-your-own combination convenience.
- Resettable to any of 10,000 personalized combinations.

Code Format: 4 Step Dial

Color: Brass

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-175	1 in	5/16 in	1 in
470-175D	1 in	5/16 in	1 in
470-175DLH	2 1/4 in	5/16 in	1 in
470-175LH	2 1/4 in	5/16 in	1 in



No. 178 Solid Brass Combination Padlocks

Features:

- Set-your-own combination convenience and security.
- 4 digit dialing allows for thousands of possible combinations.

Color: Brass

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-178BLK	1 in	5/16 in	1 in



No. 3 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance.
- Hardened bottom plate for drill resistance.
- Top and bottom bumpers for greater scratch resistance.
- Thousands of key changes maximize key integrity.
- Proprietary rustproofing for longer life.
- 4-pin tumbler cylinder helps prevent picking.

Color: Silver; Blue

Shackle Material: Hardened Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-3DLHCOM	2 in	9/32 in	5/8 in
470-3DLF	1 1/2 in	9/32 in	5/8 in
Keyed Different			
470-3D	3/4 in	9/32 in	5/8 in
Commercial Grade Bumpers on Top and Bottom of Lock			
470-3DCOM	3/4 in	9/32 in	5/8 in



No. 5 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance.
- Hardened bottom plate for drill resistance.
- Top and bottom bumpers for greater scratch resistance.
- Thousands of key changes maximize key integrity.
- Proprietary rustproofing for longer life.
- 4 pin tumbler cylinder helps prevent picking.

Color: Silver; Black

Shackle Material: Hardened Boron Alloy Steel



SKU	Shackle Length	Shackle Diam	Shackle Inner Width
470-5DCOM	1 in	3/8 in	15/16 in



No. 7 Laminated Steel Pin Tumbler Padlocks

Features:

- Hundreds of key changes maximize key integrity.
- Proprietary rust proofing for longer life.
- 4-pin tumbler cylinder helps prevent picking.

Shackle Diam: 3/16 in

Shackle Inner Width: 1/2 in

Shackle Material: Steel



SKU	Code Format	Shackle Length	Color
470-7LJKD	4-Pin Tumbler	2 1/2 in	Silver; Blue
470-7D	4-Pin Tumbler	9/16 in	Silver/Blue



Pro Series® High Visibility Aluminum Padlocks

Features:

- Safety color recognition plus high security .
- Available in six vibrant colors for easy lockout customization - add desired suffix - RED, ORJ,GRN, YLW,BLU,BLK.
- Baked-on powder-coated finish stays bright.
- Ideal for corrosive and tough environments.
- Tens of thousands of key changes available - restricted 400 series cylinder option at no extra charge.
- Rekeyable for easy key system maintenance.
- Key retaining optional - ensures that padlocks are not left unlocked.
- Photo I.D.
- labels available.

Shackle Diam: 1/4 in

Shackle Inner Width: 25/32 in

Shackle Material: Hardened Steel



SKU	Code Format	Shackle Length	Color
470-6835BLK	5-Pin Tumbler	1 1/16 in	Black
470-6835BLU	5-Pin Tumbler	1 1/16 in	Blue
470-6835GRN	5-Pin Tumbler	1 1/16 in	Green
470-6835RED	5-Pin Tumbler	1 1/16 in	Red
470-6835YLW	5-Pin Tumbler	1 1/16 in	Yellow



ProSeries® Resetttable Combination Locks

Features:

- 10,000 possible combinations and no special reset tool is required.
- Boron-Carbide shackles are twice as hard to cut as standard hardened shackles.
- Dead locking mechanism protects against prying, Shimming and rap attacks.
- Durable brass, stainless steel or die cast bodies withstand the elements.
- Octagonal boron-carbide Shackles for superior cut resistance.
- Shackle seal and dial dust cover protect internal components and dials for trouble- free operation.
- Stainless steel shackles are also available on some models.

Shackle Diam: 3/8 in

Shackle Inner Width: 15/16 in

Color: Brass

Shackle Material: Boron Alloy

SKU	Code Format	Shackle Length
470-1175DLH	4-Digit	15/16 in

LOCKOUT TAGOUT



Steel Body Safety Padlocks

Features:

- 1400 key changes available.
- Four-pin tumbler.
- Six bumper colors available for segmentation by department, etc.,
- Add desired color suffix - RED, YLW, GRN, BLU, BLK, WHT.
- Ideal when locks may be subjected to physical abuse.
- Reinforced laminated steel construction.

Shackle Diam: 9/32 in

Shackle Inner Width: 5/8 in

Shackle Material: Steel

SKU	Code Format	Shackle Length	Color
470-3BLU	4-Pin Tumbler	3/4 in	Blue
470-3RED	4-Pin Tumbler	3/4 in	Red
470-3YLW	4-Pin Tumbler	3/4 in	Yellow



Adjustable Cable Lockouts

Features:

- Ideal for group and multi-point lockouts.
- Features a tough and flexible multi-stranded steel cable insulated with a clear plastic coating.
- A tough and lightweight Zenex™ thermoplastic body withstands chemicals and performs effectively in extreme conditions.
- Includes high-visibility and re-usable write-on safety labels.
- Pull-tight cable adjusts for a secure fit every time.
- Integrated safety lockout hasp and cable is ideal for multiple circuit breaker panels and side-by-side gate valve lockouts.

SKU	Color	Cable Length
470-S806	Red	6 ft



No. 719 Cable Locks

Features:

- Braided steel cable for strength and flexibility.
- The protective vinyl coating protects against scratches.
- The integrated padlock features a laminated steel body for maximum strength and reliability.
- The 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Shackle Diam: 3/16 in

Color: Red/Silver/Blue

Shackle Material: Braided Steel

Cable Length: 3 ft

SKU	Shackle Length
470-719	3 ft



Python™ Adjustable Locking Cables

Features:

- Patented locking mechanism holds cable tight at any position.
- Weather tough aluminum alloy body and vinyl coated cable resist rust and operate in extreme conditions.
- Keyed alike convenience with the removable rekeyable cylinder—key to other Python locking cables, Master Lock padlocks or systems with the M1 keyway.
- Cut-resistant, 100% steel braided cable.

Shackle Diam: 3/8 in

Color: Black

Shackle Material: Aluminum Alloy

Cable Length: 6 ft

SKU	Shackle Length
470-8413DPF	6 ft