



SAFETY STORAGE

All facilities that store or use flammable or combustible chemicals should be outfitted with the proper storage containers and equipment to minimize exposure and risk to personnel and property. Safe storage of flammables includes compliant identification of chemicals and proper labeling of containers.

Safety Cabinet Color Guidelines

Regulatory codes do not mandate the specific color of safety cabinets and containers. However, industries usually abide by the following color guidelines:

Yellow – Flammable liquids

Red – Paints, inks and other combustible liquids

Blue – Corrosive liquids

Green – Pesticides and insecticides

White or gray – Waste materials or outdoor lockers

Silver or light neutral – For laboratory settings





Type I Safety Cans

Features:

- Electric seam weld joins top and body.
- Stainless steel flame arrestor.
- Sturdy 16 gauge shock rim for bottom support.

Test & Approvals: Eagle Type I Cans meet OSHA and NFPA Code 30 Requirements

Material: Galvanized Steel

Resistance: Flame Retardant

SKU	Capacity Vol.	Type	Dia.	Height	Color	Includes
258-UI-10-FS	1 gal	Gas	9 in	8 in	Red	Funnel
258-UI-20-FS	2 gal	Gas	11 1/4 in	9 1/2 in	Red	Funnel
258-UI-20-S	2 gal	Gas	11 1/4 in	9 1/2 in	Red	—
258-UI-50-FS	5 gal	Gas	12 1/2 in	13 1/2 in	Red	Funnel
258-UI-50-S	5 gal	Gas	12 1/2 in	13 1/2 in	Red	—
258-UI-50-FSY	5 gal	Diesel	12 1/2 in	13 1/2 in	Yellow	Funnel
258-UI-50-SY	5 gal	Diesel	12 1/2 in	13 1/2 in	Yellow	—



Flex Hoses

Features:

- Durable, flexible hoses are designed for use with AccuFlow™ Type II Safety Cans.
- Use them to pour liquids in a controlled and safe manner.

SKU	Material
400-11077	Steel



Type II Safety Cans

Features:

- Eagle cans feature lead-free technology.
- Spring closing lid with neoprene gasket vents at 5 PSI internal pressure.
- They feature deep drawn, 2-piece, no-weld construction with no top or side seams, non-sparking brass pour spout and flame arrestor.

Test & Approvals: FM; UL; ULC

Material: Galvanized Steel

Resistance: Flame Retardant

Includes: 7/8 in. Flex Metal Spout

SKU	Capacity Vol.	Type	Color
258-U2-51-S	5 gal	Flammable Storage Can	Red
258-U2-51-SY	5 gal	Flammable Storage Can	Yellow



Funnel Attachments for Type I Steel Safety Cans

Features:

- Economical way to aid pouring into smaller openings.
- Bolt-on funnel with galvanized hose.
- For Type I steel cans only.

Test & Approvals: FM Approved

SKU	Material
400-11202Y	Polyethylene



SAFETY STORAGE

Red Oily Waste Cans

Features:

- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.
- Raised flow-through base dissipates heat.
- Convenient carrying handle.
- Trilingual safety label.

Test & Approvals: FM Approved; UL Listed

Material: 24-gauge Premium Coated Steel

Resistance: Flame Retardant; Wear; Combustibles

Color: Red



SKU	Capacity Vol.	Dia.	Height
400-09100	6 gal	11 7/8 in	15 7/8 in
400-09300	10 gal	13 15/16 in	18 1/4 in
400-09500	14 gal	16 1/16 in	20 1/4 in
400-09700	21 gal	18 3/8 in	25 in



Type I Safety Cans

Features:

- Fully compliant Safety Cans feature a high performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life.
- This extra long precision mesh screen is a full 3 1/2" (88 mm) to ensure safe insertion of gas nozzle with metal-to-metal contact eliminating the potential of a spark and possible explosion.
- Self-closing lid controls vapors and spills and unique counterbalanced, ergonomic design makes it easy-to-use.
- Leakproof, positive pressure relief cap automatically vents to guard against rupture or explosion.
- Rounded comfort handle that swings to help in carrying heavy loads, reinforcing ribs for bumper guard protection, and large 1/2" (13 mm) grip lip along bottom to support pouring.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage T&E certified

Material: Galvanized Steel

Resistance: Chemicals



SKU	Capacity Vol.	Dia.	Height	Color	Includes
400-7110100	1 gal	9 1/2 in	11 in	Red	N/A
400-7120100	2 gal	9 1/2 in	13 3/4 in	Red	N/A
400-7125100	2 1/2 gal	11 3/4 in	11 1/2 in	Red	N/A
400-7150100	5 gal	11 1/2 in	16 7/8 in	Red	—
400-7150110	5 gal	11 1/2 in	16 7/8 in	Red	Funnel
400-7150200	5 gal	11 1/2 in	16 7/8 in	Yellow	—

JUSTRITE®

Type II AccuFlow™ DOT Safety Cans

Features:

- Easily-operated, hand-actuated self-venting mechanism secures against spillage, and pressure build-up.
- For hazardous and flammable liquids.
- Uses include when remote usage of flammable liquids is necessary, and where gas-fueled equipment is used.
- Heavy-duty, roll bar construction protects fill and pour mechanisms from damage in a fall.
- Rear spout with self-closing lid for protection against spillage and fume release.
- Removable, easy-to-engage, fusible link bracket.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage TAcv certified

Dia.: 11 3/4 in

Hose O.D.: 1 in

Material: Galvanized Steel

Color: Red



SKU	Capacity Vol.	Type
400-7350130	5 gal	Flammables

JUSTRITE®

Type II AccuFlow™ Safety Cans

Features:

- Ergonomically designed offset combination fill/pour port with comfort lift bar makes filling easier than ever.
- Fill port is equipped with a long length, long life stainless steel flame arrester which reliably dissipates heat to prevent flashback ignition.
- The exclusive vented AccuFlow™ manifold and Safe-Squeeze™ trigger handle provide superior pour control and smooth liquid flow.
- Leak proof, positive pressure relief lid automatically vents to prevent rupture or explosion and self-closes to control vapors and spills.
- Flexible metal hose.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage TÜV certified

Material: Galvanized Steel



SKU	Capacity Vol.	Hose O.D.	Color	Includes
400-7210120	1 gal	5/8 in	Red	—
400-7220120	2 gal	5/8 in	Red	Hose
400-7225120	2 1/2 gal	5/8 in	Red	Hose
400-7225130	2 1/2 gal	1 in	Red	Flame Arrester; 1 in Hose
400-7250120	5 gal	5/8 in	Red	Hose
400-7250130	5 gal	1 in	Red	Hose
400-7250230	5 gal	1 in	Yellow	Hose

JUSTRITE®

Type I Safety Cans for Flammables

Features:

- Fully compliant safety cans safely store and dispense gasoline, diesel fuel, kerosene and a variety of other chemicals.
- Lead-free, 24-gauge steel construction with reinforcing ribs and a chemical-resistant, durable powdercoat paint finish.
- Single self-closing pour and fill spout.
- Vents automatically between 3 and 5 psig, prevents spillage and reduces vapors.
- Internal full-length flame arrester reliably dissipates heat and allows full insertion of gas nozzle for easy filling.
- Rounded, swinging handle (on 2 gal.& up) and 1/2" bottom grip lip provide easy gravity-assisted pouring.
- Trigger squeeze handle on 1 gallon and under.
- Each can is leak-tested and guaranteed 100% leakproof.

Test & Approvals: Meets OSHA/NFPA; UL Listed; FM Approved; Accepted under CARB; ULC Listed

Dia.: 7 1/4 in

Height: 11.5 in

Material: 24-gauge Steel

Resistance: Ultraviolet; Flame Retardant; Corrosive Process; Solvent; Chemicals; Humidity

Color: Red

Includes: Flame Arrester



SKU	Capacity Vol.	Type
400-10301	1 gal	Flammable Storage Can





Flammable Liquid Storage

Features:

- 2 in raised leak-proof sill.
- Two 2 in vents with baffles.
- 3-point key lock.
- Adjustable galvanized shelves.
- Leveling legs.
- Powder coat finish.
- Reinforced double-wall construction with 1 1/2 in airspace.

Test & Approvals: FM; NFPA; OSHA; UFC

Usage: Chemicals; Flammable Liquids



SAFETY STORAGE

SKU	Capacities	Depth	Width	Height
258-1932	30 Gallon	18 in	43 in	44 in
258-1947	45 Gallon	18 in	43 in	65 in



Yellow Countertop & Compact Cabinets

Features:

- U-Loc™ pad lockable handle.
- Haz-Alert™ reflective labeling.
- 3-point self-latching, easy close doors with double key set.
- SpillSlope™ safety shelves.
- Double wall construction with 1 1/2" of insulating air space.
- Sturdy 18-gauge steel, welded for strength, long life, and greater fire protection.
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance.
- Dual 2" vents with flame arresters.

Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA Regulations; FM Tested and Approved

Usage: Chemicals



SKU	Capacities	Material	Depth	Width	Height
400-890400	4 Gallon	18 Gauge Steel	17 in	17 in	22 in
400-891200	12 Gallon	18 Gauge Steel	18 in	26 in	36 in



Yellow Safety Cabinets for Flammables

Features:

- U-Loc™ pad lockable handle.
- Haz-Alert™ reflective labeling.
- SpillSlope™ safety shelves.
- Double wall construction with 1 1/2" of insulating air space.
- Sturdy 18-gauge steel, welded for strength, long life, and greater fire protection.
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance.
- Four adjustable leveling feet provide a wobble-free base.
- Self-close style features fusible links to hold doors open and concealed self-close mechanism for obstruction-free access.
- Dual 2" vents with flame arresters.

Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA Regulations; FM Tested and Approved; UL Listed; Complies with UFC

Usage: Chemicals



SKU	Capacities	Material	Depth	Width	Height
400-896000	60 Gallon	18 Gauge Steel	34 in	34 in	65 in
400-896020	60 Gallon	18 Gauge Steel	34 in	34 in	65 in
400-893000	30 Gallon	18 Gauge Steel	18 in	43 in	44 in
400-893020	30 Gallon	18 Gauge Steel	18 in	43 in	44 in
400-894500	45 Gallon	18 Gauge Steel	18 in	43 in	65 in
400-899000	90 Gallon	18 Gauge Steel	34 in	43 in	65 in
400-899020	90 Gallon	18 Gauge Steel	34 in	43 in	65 in
400-894520	45 Gallon	18 Gauge Steel	18 in	45 in	65 in

SAFTCART.

Storage Series

Features:

- Designed for storage and transportation of high-pressure cylinders.
- Constructed of gauge square tubing and expanded metal.
- Features a forklift bottom and a lifting eye to ensure maximum portability.
- Unique E-Track strapping system keeps your cylinders secure.

Height: 85 in

Usage: High-Pressure Cylinders

SKU	Capacities	Material	Depth	Width
339-ST5-9	(9) Hi-Pressure Cylinders	Metal	32 in	32 in
339-ST5-12	(12) Hi-Pressure Cylinders	Metal	42 in	33 in



Safety Drum Funnel

Features:

- Fits into a 2" bung on a 30 and 50-gallon drum.
- Wide-mouth opening with hinged, stay-open lid.
- Self-closing cover has a fusible link that melts at 165° F to shut the cover automatically in case of fire.
- Accepts lock to prevent unauthorized access.

Test & Approvals: Complies with EPA Regulations; FM Approved; Complies with OSHA Regulations

Neck Material: Brass

Used With: Flammables

Resistance: Wear; Chemicals

Type: Self-Close Cover

SKU	Dia.	Material
400-08207	10 3/4 in	Galvanized Steel



Dispensing Bottles and Bottle Jacket

Features:

- Constructed of polyethylene w/stainless steel wire that allows stem to be shaped to reach hard-to-get-at areas.
- Dispense flammable liquids directly on small components or subassemblies with a minimum of overspray.
- Airtight design reduces spillage.

Height: 8 in

Color: Clear

Material: Polyethylene

Usage: Chemicals

Resistance: Flame Retardant

SKU	Capacity Vol.	Dia.
400-14009	16 oz	3 in