



Industrial Sorbents, Containment and Spill Control

Construction site secondary containment and ways to clean up spills with spill kits are vital to protect public health and safety. From pillows, pads, and pouches to socks, sweeps, booms, mats, and rolls – several types of industrial sorbents come in a wide variety of shapes and sizes for both indoors and out-of-plant uses. Knowing the right sorbent product for the job is crucial. Be aware that there are sorbents that are intended for specific jobs:

Universal types for everyday industrial non-caustic spills including machine coolants, non-aggressive solutions

Oil Only types are used strictly for petroleum-based products including lubricants, greases, oils, and petro-solvents

Hazmat types are for caustic and aggressive liquids and chemicals that pose an immediate health hazard to personnel if not handled properly





1-Drum Modular Platforms

Features:

- Constructed of durable high density polyethylene (HDPE).
- Removable grating for easy cleaning.
- Low profile for easy loading/unloading.

Material: Polyethylene



SKU	Capacity Vol.	Load Capacity	Width	Height
258-1633	15 gal	2,000 lb	26 1/4 in	6 1/2 in



Spill Containment Pallets

Features:

- Low profile for easy loading/unloading.
- Constructed of durable high density polyethylene (HDPE) for excellent chemical resistance.
- A low profile removable grate for easy cleaning.

Material: Polyethylene



SKU	Capacity Vol.	Load Capacity	Width	Height
258-1632	30 gal	5,000 lbs	26 1/4 in	6 1/2 in



Battery Acid Specialty Spill Kit

Features:

- Spill kits combine pads, accessories and PPE so that you are prepared in an emergency.
- Position them around your facility so that you are prepared should a spill occur.
- Spill kit contains surfactant-treated absorbents and contents designed to pick up battery acid while remaining chemically inert.
- Reusable screw top bucket keeps contents clean and easily accessible.

Absorption: 4.5 gal

Type: Battery Acid Spill Kit

Includes: (10) 15 x 19 in Pads; (2) 3 in x 4 ft Socks; (2) Disposal Bags; 1 lb Bag Granular; 2 lb Neutralizer Shaker; Face Shield; Neoprene Apron; Pair Goggles; Pair Neoprene Gloves; Scoop and Scraper

SKU	Width	Length
655-SK-BATT	14 in	18 in



SPC Allwik® Drum Spill Kits

Features:

- Allwik for oil, water based and chemical spills.
- Tough, secure and highly visible, this top quality screw topped over pack drum meets UN and DOT specifications.
- For large spill response.
- For oil, water based and chemical spills.

Test & Approvals: Drum meets UN Specifications

Type: Universal

SKU	Width	Length	Absorption	Includes
655-SKA20	21 in	21 in	15 gal	(12) Pads, 15 x 19 in, (3) SOCs, 3 in x 12 ft, (2) Pillows, 17 x 19 in, Goggles, Nitrile Gloves, (3) Disposal Bags, Emergency Response Handbook
655-SKA55	24 in	24 in	38 gal	(50) Pads, 15 x 19 in, (4) SOCs, 3 in x 12 ft, (8) Pillows, 17 x 19 in, Goggles, Nitrile Gloves, (5) Disposal Bags, Emergency Response Handbook



SPC Economy Portable Spill Kits

Features:


- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Type: Allwik® Universal

Includes: (10) Pads, 15 x 19 in, (2) SOCs, 3 in x 4 ft, Nitrile Gloves, (1) Disposal Bag, Instruction Sheet



SKU	Width	Length	Absorption
655-SKA-PP	16 in	20 in	5 gal




Oil Only Sorbents

Features:

- For use with oil and petroleum based fluids.
- Ideal for environmental applications.
- Constructed from premium quality meltblown polypropylene.
- Effective for leaks and drips from liquid containers, machinery or equipment.



SKU	Length	Width	Packing Type	Absorption	Quantity
103-AB-BPO500	19 in	15 in	Bale	20 gal	100 per bale
103-AB-BRO120	120 ft	30 in	Roll	24 gal	1 per bale
103-AB-BPO100	19 in	15 in	Bale	39 gal	100 per bale
103-AB-BPO200	19 in	15 in	Bale	51 gal	200 per bale



Universal Sorbent Pads


Features:

- Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility.
- Dimpled and perfed.
- Perfect fit for indoor spills.
- Universal sorbents are designed for use around machinery, under leaky pipes or fittings, in messy traffic areas and for general maintenance projects.

Packing Type: Bale



SKU	Length	Width	Absorption
103-AB-BPU500	17 in	15 in	17 gallons per bale
103-AB-BPU100	17 in	15 in	20.5 gallons/bale



Universal Sorbents

Features:

- Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility.
- Dimpled and perfed.
- Perfect fit for indoor spills.



SKU	Length	Width	Packing Type	Absorption	Quantity
103-AB-BPU200	17 in	15 in	Bale	34 gal	200 per bale
103-AB-BRU120	120 ft	30 in	Roll	38 gal	1 per bale



ALLWIK® Drum Top Covers

Features:

- Keeps drums, the floor and surrounding storage areas clean.
- Dimpled and absorbs all liquids.

Packing Type: Case

SKU	Absorption
655-DTA25	9 gal/bale



MRO Plus Absorbent Rolls

Features:

- Strong, durable and low linting, they are ideal for nearly every industrial setting.
- Versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.

Packing Type: Roll

Absorption: 24 gal

SKU	Length	Width
655-MR015P	150 ft	15 in



SPC Battlemat™ Sorbents

Features:

- Soaks up oil, water, coolants, solvents, acids and bases.
- Perfect as walk-on mats or single use absorbents in manufacturing plants and similar environments.
- Durable abrasion-resistant upper layer draws moisture into bottom layer and makes BattleMat™ the floor mat of choice whenever there is over-spray or heavy traffic.
- Camouflage pattern masks drips and spills.
- Heavy weight, double perforated.

Packing Type: Roll

Quantity: 1 per case

SKU	Length	Width	Absorption
655-BM15	150 ft	18 1/2 in	25 gal
655-BM30	150 ft	30 in	52 gal




SPC Dri-Zorb® Granular Absorbents

Features:

- An all-natural corncob product that quickly absorbs cutting oils, grease, water and other liquids.
- Dri-Zorb® is particularly useful as an alternative to clay when disposal methods dictate your absorbent medium.
- Not for use with aggressive liquids.

Packing Type: Bag

SKU	Absorption	Quantity
655-DZ-100	8.5 gal	40 per pallet



SPC Env™ Oil Sorbents-Contractor Grade

Features:

- Ideal for environmental applications.
- Made of the best available basic meltblown polypropylene.
- ENV™ Oil Sorbents are packed in distinctive green bags and are the obvious choice when you need low cost plus high performance.
- Economy, heavyweight.
- For use with oil and petroleum based fluids.

Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
655-ENV300	19 in	15 in	24 gal	100 per bale
655-ENV100	19 in	15 in	28.5 gal	100 per bale
655-ENV200	19 in	15 in	32 gal	200 per bale
655-ENV50	3 1/2 in	3 1/2 in	53 gal	50 per bale
655-ENV150	144 ft	30 in	54 gal	1 per bale
655-ENV810	10 ft	—	65 gal	4 per bale



SPC GP® MAXX Enhanced Sorbent Pads

Features:

- Absorbs basically all fluids, including water, petroleum or chemical-based liquids.
- Provides exceptional performance without the extra weight of standard sorbent pads.
- Efficient one-ply construction.

Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
655-GP100	19 in	15 in	25 gal	100 per bale
655-GP200	19 in	15 in	27.5 gal	200 per bale



SPILL CONTROL SAFETY

SPC High Traffic Sorbents

Features:

- Built for durability and high absorbency.
- This universal sorbent is tough enough for even your forklift traffic.

Packing Type: Roll

SKU	Length	Width	Absorption	Quantity
655-HT350	150 ft	—	32 gal	—
655-HT303	19 in	19 in	63 gal	1 per bale



SPC High Visibility Safety and Chemical Absorbent Mat

Features:

- Provides extreme absorbency for all-purpose or hazardous chemical applications.
- Durable three-ply SMM construction—one layer spunbound coverstock with two layers of meltblown polypropylene.
- High-visibility safety yellow with STF pictogram makes mat readily identifiable in hazard areas.

Packing Type: Pad

Absorption: 3 gal

Quantity: 100 per case

SKU	Length	Width
655-CH100	19 in	15 in



SPC MRO Plus™ Sorbents

Features:

- Is highly effective for cleanup and removal of oil and water-based liquids.
- A gray dimpled material combining thickness, strength and high absorbency, low-linting.
- Perforations contribute to economy by allowing the user to take precisely the right amount of material to do the job.
- The dirt masking gray color fosters longer use before disposal.

SKU	Length	Width	Packing Type	Absorption	Quantity
655-MRO315P	18 1/2 in	18 1/2 in	Bale	2 gal	1 per case
655-MRO300	19 in	15 in	Case	20.5 gal	100 per case
655-MRO100	19 1/2 in	15 1/2 in	Bale	26 gal	100 per case
655-MRO350-DP	150 ft	30 in	Roll	38 gal	1 per case
655-MRO30P	50 ft	17 1/4 in	Roll	49 gal	1 per case
655-MRO30-DP	150 ft	30 in	Roll	49 gal	1 per case



SPC Oil Plus™ Sorbents

Features:

- Dimpled material notable for its low linting, thickness and strength.
- It is equally effective in absorbing oil and petroleum fluids will not pick up water or water-based liquids.
- Full-size, heavyweight product.

Packing Type: Case

Absorption: 26 gal

Quantity: 100 per case

SKU	Length	Width
655-OP100	19 in	15 in



SPC Oil Sorbents

Features:

- Designed to contain and control petroleum based fluids.
- They will not deteriorate, disintegrate, or sink.
- Extruded from polypropylene.

Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
655-SPC500	19 in	15 in	16 gal	100 per bale
655-SPC300	19 in	15 in	30 gal	100 pads per bale
655-SPC100	19 in	15 in	35 gal	100 pads per bale
655-SPC200	19 in	15 in	51 gal	200 pads per bale
655-SPC150	144 ft	38 in	70 gal	1 roll per bale
655-SPC810	10 ft	3 in	71 gal	4 per bale



SPC Premium Oil Absorbent

Features:

- It is a recycled waste product that contains naturally occurring microorganisms and nutrients.
- Oil Gator® is an all-natural, biodegradable absorbent with the ability to encapsulate 2-6 times its weight in oil or oil-based products.

Packing Type: Bag

Absorption: 2 - 6 gal

Quantity: 60 per pallet

SKU	Width
655-GS-10	5 1/2 in



SPILL CONTROL SAFETY

SPC Slikwik Socs™ Absorbents

Features:

- Mold around corners and conform to uneven surfaces to prevent and soak up spills and drips.
- All-purpose maintenance polypropylene SOC, suitable for most industrial applications.

Packing Type: Case

SKU	Length	Width	Absorption	Quantity
655-SW46	42 in	3 in	2 gal	40 per case
655-AW430	4 ft	3 in	3.76 L	30 per case



SPC SXT™ Industrial Oil Sorbents

Features:

- Abrasion resistant and nonabrasive.
- Non-woven structure on both sides and a low-linting meltblown core.
- Remains intact even when saturated.
- Is chemically inert and will not absorb water.
- Full size, heavyweight perfed.
- Significantly stronger than ordinary meltblown polypropylene.
- Remains intact even when saturated.

Packing Type: Case

Absorption: 19.5 gal

Quantity: 100 per case

SKU	Length	Width
655-SXT100	19 in	15 in

SPC Universal Plus™ Sorbents

Features:

- Specially developed chemical sorbent with properties that make it ideal for hazardous liquid cleanup.
- Universal Plus™ is chemically inert, so it will not react with aggressive fluids.

Packing Type: Bale

Absorption: 20.5 gal

Quantity: 100 per case

SKU	Length	Width
655-SPCUN1719	19 1/2 in	15 1/2 in



SPC UXT™ Universal “X-tra Tough” Sorbents

Features:

- Abrasion resistant and nonabrasive.
- Highly effective against oils, acids, solvents, bases, chemicals, coolants and antifreeze.
- Is significantly stronger than ordinary meltblown polypropylene and remains intact even when saturated.
- Non-woven structure on both sides and a low-linting meltblown core.
- Full size, lightweight, perfed.

Packing Type: Case

SKU	Length	Width	Absorption	Quantity
655-UXT100	19 in	15 in	19 gal	100 per case
655-UXT200	19 in	15 in	31.5 gal	200 per case



SpillFix Granular Bags

Features:

- SpillFix granular is completely natural producing no carcinogens or dust.
- With more than four times the absorption power of clay granular, this product is perfect for both indoor and outdoor use.

Packing Type: Bag

SKU	Absorption
655-SF-7	2 gal
655-SF-20	7 gal



Industrial Absorbents

Features:

- Absorbs fuels, organic chemicals, paints, glycol and more.
- Effective for cleanup and removal.
- Nontoxic.

Packing Type: Loose-Filled Bag

Absorption: 12 gal

SKU	Length	Width	Quantity
671-SS-2B	4 in	—	3 per case
671-SS-2-60	4 in	48 in	60 per pallet