



# TRAFFIC

Traffic safety encompasses vehicle transportation as well as foot traffic. Products that keep unauthorized personnel out of specific areas or provide tread on otherwise slippery surfaces can be just as important as emergency roadside kits. The overall goal is safety on the go.



## Safety-Walk™ General Purpose Treads 600 Series

- Features:**
- Mineral-coated, slip-resistant material features a highly durable surface.
  - Low-profile design reduces trip hazard.
  - For use on smooth, flat surfaces.

SKU	Width	Length	Material
488-19221	2 in	60 ft	Plastic Film (Substrate);Mineral (Surface)
488-19223	4 in	60,000 ft	Mineral



## MAGNATEC® Premium Detectable Warning Tapes

- Features:**
- Use for location and early warning protection for underground lines.
  - Middle foil layer allows for both inductive and conductive locating.

**Color Text:** Black  
**Width:** 2 in  
**Length:** 1,000 ft  
**Height:** 2 in  
**Type:** Magnetic

SKU	Depicted Text	Color
272-31-140	Caution Gas Line Below	Yellow



## PVC Traffic Cones

- Features:**
- Brightly colored for high visibility.
  - All vinyl construction assures durability and flexibility in all weather conditions.
  - Ultraviolet stabilized color provides maximum resistance to fading.
  - Wide-body design with rugged base.
  - High density base creates low center of gravity for maximum stability.

**Color:** Orange Black



SKU	Color	Height	Includes	Width
831-03-500-05	Orange/Black	18 in	—	12 in
831-03-500-10	Orange/Black	28 in	6 in Upper and 4 in Lower Reflective Collars	14 in
831-03-500-07	Orange/Black	28 in	—	14 1/2 in



## Triangle Warning Kit

- Features:**
- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the fluorescent plastic is bright and provides effective warning, even in daytime.
  - The entire kit is easy to erect and break down, with single triangle flares that unfold from a weighted blow-molded tube base.
  - A convenient living hinge box allows for quick and compact storage.

**Test & Approvals:** Wind Test Compliance of 40 mph  
**Material:** Acrylic; Steel; ABS; Polypropylene  
**Includes:** 3 Triangles in Living Hinge Storage Box  
**Width:** 18 in

SKU	Color	Height
831-95-03-009	Red/Hi-Viz Orange	18 in



**Chain Link Safety Fence**

**Features:**

- Lightweight, yet extremely durable with super high strength.
- Safe with no sharp edges.
- UV stabilized.
- Highly visible fluorescent orange.
- Easy to install, handle, or relocate.

**Applications:** Barrier and Warning at Construction and Excavation Sites; Agricultural Boundary Marker



SKU	Height	Length
101-FEN1009	4 ft	100 ft



**Safety Fences**

**Features:**

- Super high strength.
- Safe with no sharp edges.
- UV stabilized.
- Highly visible orange color.
- Easy to install, handle, or relocate.

**Applications:** Barrier and Warning at Construction and Excavation Sites; Agricultural Boundary Marker



SKU	Height	Length
101-ML-500	4 ft	100 ft
101-FEN5011	4 ft	50 ft



**Marking Whiskers**

**Features:**

- Virtually indestructible, these APWA color-coded whiskers spring back up when run over by lawn mowers, graders and heavy equipment.
- Easily and conveniently attached to wood stakes or to 60-penny nails (not included).
- Can be used alone or in conjunction with other marking products.

**Height:** 6 in

**Material:** Plastic

SKU	Color
764-W6-PG	Pink Glo



**Pennant Flags**

**Features:**

- Each pennant is constructed of 4 mil polyethylene and double sewn into a plastic covered, sag-resistant rope.
- Pennant Flags are ideal for drawing attention to an event or defining an area perimeter.

**Length:** 100 ft

**Material:** Polyethylene

**Quantity:** 50 per case

SKU	Color
764-PF912100M	Multi-Color



### EZ Grab Delineator Post

- Features:**
- Post is made from 100% impact-resistant polyethylene material.
  - EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
  - The sturdy rubber base ensures that the post stays put.
  - Each post comes with two high intensity reflective bands.

**Height:** 45 in  
**Color:** Orange  
**Material:** Polyethylene; Rubber



TRAFFIC SAFETY

SKU	Outside Dia.	Height	Color
831-03-734RBC	3 in	45 in	Orange



### Wheel Chock

- Features:**
- Provides maximum durability and skid protection.
  - Constructed to withstand extreme weather conditions.
  - Includes zinc-plated eyebolt.

**Material:** Rubber

SKU	Height	Length
831-2048WC	6 in	10 in



### Safety Paddles

- Features:**
- Two-sided safety sign with "STOP" and "SLOW" warning messages.
  - Highly visible to passing traffic.
  - Ideal for school crossing guards, police and plant security guards.

**Test & Approvals:** MUTCD

**Length:** 18 in

SKU	Depicted Text	Color
<b>9 in Polygrip Handle</b>		
831-03-851	STOP/SLOW	Red/White/Orange/Black



### Floor Pop-up Safety Cones

- Features:**
- Collapsible, automatically deployed cone.
  - Wall-mounted storage tube allows for easy and compact storing.

**Length:** 21 in  
**Width:** 21 in  
**Height:** 20 in

SKU	Depicted Text	Color
640-9S00	Caution (Multi-Lingual); Wet Floor Symbol	Yellow



### Floor Safety Signs

#### Features:

- Large, 13" 4-sided warning triangle with bold graphics.
- Closed warning message imprinted in English, French, German and Spanish for effective communication to broad audiences.
- Folding design for convenient storage.
- Durable plastic construction.
- Bright yellow design meets OSHA requirements.
- Stable base with low center of gravity to prevent tipping.

**Length:** 26 in

**Width:** 11 in

**Height:** 25 in

SKU	Depicted Text	Color
640-6112-77-YEL	Caution Wet Floor	Yellow



### Heavy Duty Lockout Tags

#### Features:

- Constructed of heavy duty polyester, durable tag offers completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures.
- Tags accept pencil, pen and marker (pen and marker can be completely erased using isopropyl alcohol, allowing for repeated use).
- Heavy duty construction holds up to 80 lbs of pull force, preventing accidental removal.
- 3/8 inch diameter heavy-duty brass grommet accepts most padlock shackles.

**Height:** 5 1/2 in

**Material:** Polyester

**Color:** Black/Red on White

SKU	Quantity	Width
262-65520	25 per package	3 in



### Lockout Tags

#### Features:

- Two-sided tag with warning messages and graphics.
- Both sides have lines for writing additional information.
- 3/8 inch diameter brass eyelet will accept most pad-lock shackles.
- Can be used in conjunction with locks to enhance visual awareness.

**Height:** 5 3/4 in

**Material:** Cardstock

**Color:** Black/Red on White

SKU	Quantity	Width
262-65452	25 per package	3 in



### Hazard Marking Vinyl Tapes 766

#### Features:

- Stripes promote employee safety by marking pinch points or gears on equipment.
- Prevent accidents by providing temporary floor marking around equipment or spills.
- Mark risers on stairways or low-clearance areas.

**Width:** 2 in

**Length:** 36 yd

**Thickness:** 5 mil

**Material:** Rubber

SKU	Color
405-021200-43181	Black/Yellow



**Safety Stripe Tapes 5700**

**Features:**

- Durable vinyl tapes used to identify and mark traffic areas and physical hazards.
- Excellent for many lane and safety marking applications.
- Helps identify hazard areas.

**Width:** 3 in

**Length:** 36 yd

**Thickness:** 5.4 mil

SKU	Color
405-021200-04585	Black/Yellow



**Economy Barrier Tape**

**Features:**

- Ensure clear demarcation of unsafe areas with the use of sturdy safety tapes.
- The repeated wording clearly printed across the tape serves to identify potential hazards.
- The tape's bright colors are designed to attract attention.
- Tapes are durable, yet conveniently disposable.

**Width:** 3 in

**Length:** 1000 ft

**Material:** Polyethylene

SKU	Depicted Text	Color
101-Y10003	Caution	Yellow
101-R10003	Danger	Red



**ToughStripe™  
Floor Marking Tapes**

**Features:**

- Tough, resilient material that can withstand forklift traffic without tearing or lifting.
- Low-profile design minimizes tears and scratches from skids, pallet jacks, etc.
- Made with rugged polyester and aggressive adhesive.
- Highly visible with a glossy surface - all at a lower cost than painted floor markings.
- Low profile minimizes debris buildup along the edges that occurs with thicker (extruded) floor marks.
- Surface resists marks and smudges and cleans up like new.

**Length:** 100 ft

**Material:** Polyester

SKU	Color	Width
262-104317	Black/Yellow	2 in
262-104372	Yellow	4 in



**Safety Barricade Tapes**

**Features:**

- Safety tapes indicating warning or danger areas.
- Large bold lettering is easy to read at a distance.
- Durable plastic material remains pliant in cold weather.

**Width:** 3 in

**Material:** Plastic



SKU	Depicted Text	Color	Length	Thickness
272-76-0600	Caution	Yellow	500 ft	2 mil
272-71-1001	Caution	Yellow	1,000 ft	2 mil
272-77-1001	Caution	Yellow	1,000 ft	4 mil
272-76-0604	Danger	Red	500 ft	2 mil
272-77-1004	Danger	Red	1,000 ft	4 mil
272-11-081	Danger Do Not Enter	Red	1,000 ft	—



**Reinforced Barricade Tapes**

**Features:**

- Sturdy, reinforced safety tapes are an excellent choice when a little extra strength is needed.
- Reinforced polyethylene tape is embedded with woven polyester fibers.
- Convenient tapes attract attention and help increase safety awareness on the job site.
- Great for use in law enforcement, construction, painting, mining, industrial sites, utilities and more.
- It's an economical, disposable marking solution.

**Width:** 3 in

**Length:** 500 ft

**Material:** Polyethylene/Polyester



SKU	Depicted Text	Color
764-SBR35XR174	Danger/Peligro	Red

**TRAFFIC SAFETY**



**Taffeta Flagging Tapes**

**Features:**

- Thicker mil thickness with heavy embossing.
- -10°F temperature resistance.

**Width:** 1 3/16 in

**Material:** PVC

SKU	Color	Length
764-FLAG-ORANGE	Orange	300 ft
764-FLAG-ORANGLO	Orange Glo	150 ft



**GloWear® 8020HL  
Non-Certified Standard  
Safety Vests**

**Features:**

- Hook and loop closure.
- 1" reflective tape.
- Polyester mesh (2.6 oz.).
- Non-certified.

**Color:** Lime

**Material:** Polyester Mesh



SKU	Size Group	Closure Type
150-20040	One Size	Hook & Loop



**GloWear® 8210HL  
Class 2 Economy Vests**

**Features:**

- Hook and loop closure.
- One inside pocket.
- ANSI-compliant polyester mesh (3.3 oz.).
- 2" Level 2 ANSI-compliant reflective material.

**Test & Approvals:** ANSI 107-Class 2

**Color:** Lime

**Material:** Polyester Mesh



SKU	Size Group	Closure Type
150-21025	L/XL	Hook & Loop



**GloWear® 8210Z  
Class 2 Economy Vests**

**Features:**

- Zipper closure.
- One inside pocket.
- ANSI-compliant polyester mesh (3.3 oz.).
- 2" Level 2 ANSI-compliant reflective material.

**Test & Approvals:** ANSI 107-Class 2

**Material:** Polyester Mesh



SKU	Size Group	Closure Type	Color
150-21053	S/M	Zipper	Lime
150-21055	L/XL	Zipper	Lime
150-21045	L/XL	Zipper	Orange
150-21057	2XL/3XL	Zipper	Lime



**Class II Economy  
Safety Vests**

**Features:**

- 2" silver reflective striping and adjustable front closure.
- This vest has a left bottom pocket, a left chest pocket and a right inside pocket.

**Color:** Lime

**Material:** 100% Polyester



SKU	Size Group	Closure Type
611-VCL2SLL	Large	Hook & Loop
611-VCL2SLXL	X-Large	Hook & Loop



**Safety Vests**

**Features:**

- Bright colors for high visibility.
- Tough, yet lightweight.

**Color:** Orange w/Lime Stripe

**Material:** Mesh



SKU	Size Group	Closure Type
611-V211R	One Size Fits Most	Hook and Loop Tab