



ELECTRICAL & LIGHTING

Tough flashlights and area lighting equipment provide bright illumination and added safety for first responders and personnel tasked with working in the dark.



AAAA Batteries

- Features:**
- Reliable.
 - Long-lasting power.
- Voltage:** 1.5 V
Quantity: 6 per pack



SKU	Battery Type	Batt. Size
683-65030	Alkaline	AAAA



Lithium Batteries

- Features:**
- Reliable.
 - Ten-year shelf life.
- Voltage:** 3 V
Quantity: 12 per pack



SKU	Battery Type	Batt. Size
683-85177	Lithium	CR123A



Mini AA Flashlight Replacement Lamps

- Features:**
- Mini Mag-lite® AA flashlight replacement lamps.
- Quantity:** 2 per package



SKU	Used With
459-LM2A001	AA 2 cell



Rechargeable Batteries

- Features:**
- Up to 1000 hrs of battery life.



SKU	Type
459-ARXX235	NiMH



Replacement Modules



SKU	Type	Used With
562-1900-350-000	Xenon Bulb Replacement Module	1900C



SabreLite™ 2000 Lamp Replacement Modules

- Features:**
- Hi-performance Laser Spot lamp module produces a super-bright collimated white beam.
 - Produces a very clean, even beam that cuts through fog, rain, smoke, haze and even murky water.
 - Ideal for mining work, construction, climbing, camping and more.



SKU	Type	Used With
562-2000-351-000	Xenon Bulb Replacement Module	2000C



Stinger® NiCd Battery Sticks

- Features:**
- Restores Stinger® and PolyStinger® flashlights to their original high-performance levels.
 - Provides a reliable and easily replaceable power source.
 - Rechargeable up to 1,000 times.

SKU	Type	Used With
683-75175	Nickel Cadmium Rechargeable Battery Stick	Stinger HP™ Flashlights; Stinger® Flashlights



LED D-Cell Flashlights

Features:

- Powerful projecting LED beam.
- "Spot-to-Flood" adjustable LED beam.
- Anodized for corrosion resistance and durability.
- Rugged, machined aluminum case.
- Intelligent Energy Source Management--continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life.

Batt. Type: Alkaline



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Lumens	Run Time	Includes
459-ST3D016	3	D	20,880 cd	104	72 h	Flashlight
459-ST2D016	2	D	42,533 cd	168	6 h 45 m High	Flashlight; Batteries



Mag Charger® LED Rechargeable Flashlights

Features:

- Quick focusing spot-to-flood beam.
- Operates with a simple 1/4 turn of the flashlight head assembly.
- Highly polished metalized reflector delivers superior optical performance.
- Precision-machined, high-strength aluminum alloy case.
- Hard anodized inside and out for improved corrosion resistance and durability.
- Individually Serial Numbered for identification.

Test & Approvals: Airline Approved

Batt. Type: NiMH Rechargeable

Beam Concentration (MBCP): 41,400 cd

Lumens: 643

Modes: High; Low; Momentary; Eco; Strobe

Run Time: 14 h - 17 h Low

Includes: Flashlight; Battery Pack; 12V DC Cigarette Lighter Adapter; 120V AC Converter



SKU	No. of Batteries	Batt. Size
459-RL1019	1	12V



Mag-Lite® Standard Flashlights

Features:

- High-intensity adjustable light beam (Spot to Flood).
- Recessed, pushbutton, self-cleaning, three-position switch.
- Rugged, machined aluminum construction with knurled design.
- Anodized inside and out for improved corrosion resistance.
- Spare lamp safely secured inside the tailcap.

Batt. Type: Alkaline

Modes: On/Off

Color: Black



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Lumens	Run Time
459-S2D016	2	D	10,627 cd	27	8 h 30 min High - 10 h
459-S3D016	3	D	16,280 cd	45	10 h High
459-S4D016	4	D	17,900 cd	98	9 h 30 min High - 10 h



Mini MAG-Lite® Pro Flashlights

Features:

- Designed for classic simplicity.
- Twist the head to turn on, turn off and focus.
- Delivers dynamic LED brightness.

Batt. Type: Alkaline

Beam Concentration (MBCP): 6,613 cd

Lumens: 272

Color: Black

Run Time: 2 hr 30 min

Includes: Batteries



SKU	No. of Batteries	Batt. Size
459-SP2P01H	2	AA



Mini Maglite® AA Flashlights

Features:

- High-intensity light beam.
- 1/2 turn, twist focus, spot-to-flood.
- Patented candle mode.
- Spare lamp.
- O-ring sealed for water resistance.
- Vented tailcap.

Batt. Type: Alkaline

Beam Concentration (MBCP): 6,613 cd

Lumens: 272

SKU	No. of Batteries	Batt. Size	Run Time	Includes
459-M2A01H	2	AA	2 h 30 m High - 6 h	Flashlight; Polypropylene Belt Holster; Batteries
459-M2A016	2	AA	2 h 30 min High; 6 h	Flashlight; Batteries



Mini Maglite® AAA Flashlights

Features:

- High-intensity light beam.
- Twist focus, spot-to-flood.
- Innovative extended key lead.
- Spare lamp.
- High-strength aluminum alloy case.
- O-Ring.
- Vented tailcap.

Batt. Type: Alkaline

Beam Concentration (MBCP): 3,387 cd

Lumens: 87

Run Time: 3 h - 5 h High

Includes: Flashlight; Pocket Clip; Batteries

SKU	No. of Batteries	Batt. Size
459-M3A016	2	AAA



Mini Maglite® LED Flashlights

Features:

- Powerful Projecting Beam that focuses simply by rotating the head.
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam.
- Intelligent Energy Source Management (patent pending) balancing high brightness with efficient power usage.
- Candle Mode, unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head.

Batt. Type: Alkaline

Beam Concentration (MBCP): 5,253 cd

Lumens: 97

Modes: High; Low; Blink; SOS

Run Time: 32 h Low

Includes: Flashlight; Batteries



SKU	No. of Batteries	Batt. Size
459-SP2201H	2	AA



XL50® LED Flashlights

Features:

- Powerful projecting LED beam.
- Pushbutton tailcap switch.
- Compact, pocket-size design.

Batt. Type: Alkaline

Beam Concentration (MBCP): 12,533 cd

Lumens: 200

Color: Black

Run Time: 6 hr 45 min High - 25 hr Low

Includes: Laser Engraving (One Location); Gift Box, 3 AAA Batteries



SKU	No. of Batteries	Batt. Size
459-XL50-S3016	3	AAA



1920 LED Flashlights

Features:

- A very compact aluminum flashlight designed with size and extreme performance in mind.
- Using readily available AAA batteries, this bright LED light creates a clean white beam.
- Long run times combined with high and low light output modes make for an efficient lighting tool.
- On/off momentary switch.
- Stainless steel clip.

Batt. Type: Alkaline

Beam Concentration (MBCP): 1640 cd

Lumens: 224 lm

Modes: High; Low

Run Time: 2 h

Lamp Life: 50,000 h

Includes: (2) AAA Battery

SKU	No. of Batteries	Batt. Size
562-019200-0001-110	2	AAA



2360 LED Flashlights

Features:

- Constructed of durable of materials.
- High and Low light output.
- Non-slip textured body.
- Removable two way pocket clip.
- Convenience of AA alkaline batteries with the performance of lithium batteries.
- Built-in battery level indicator.
- Run time: 3.5 hours.

Batt. Type: Alkaline

Beam Concentration (MBCP): 5,692 cd

Lumens: 163

Lamp Life: 10,000 h

SKU	No. of Batteries	Batt. Size
562-023600-0002-110	2	AA



2610 Series HeadsUP Lite®

Features:

- This tough, hands-free headlight allows you to provide illumination in any situation.
- Dual button mode allows you to choose the brightness—activate all three LEDs for full brightness or use just one to save battery.
- Features a super-bright LED beam.
- Lightweight, comfortable and well-balanced for everyday use.
- An adjustable cloth strap fits comfortably and securely on your head.
- Rubber straps allow it to grip tightly to hard hats and helmets.

Batt. Type: Alkaline

Beam Concentration (MBCP): 194 cd (High); 91 cd (Low)

Lumens: 30 (High); 14 (Low)

Modes: High/Low

Run Time: 19 Hrs (High); 47 Hrs (Low)

Lamp Life: 19 Hrs (High); 47 Hrs (Low)

Includes: Batteries; Cloth Head Strap

SKU	No. of Batteries	Batt. Size
562-2610-033-110	3	AAA



HeadsUP Lite®

Features:

- Water resistant.
- Combo headlight - LEDs (for close-up work) or Xenon (for general use).
- ABS resin body and shroud.
- Water Resistant.

Batt. Type: Alkaline

Beam Concentration (MBCP): 6,000 cp; 10,000 cp

Lumens: 14

SKU	No. of Batteries	Batt. Size
562-2620-030-110	3	AAA



HeadsUp Lite™ Flashlights

Features:

- Made of impact and chemical resistant ABS, it's water resistant for all-weather use.
- It comes with an adjustable and comfortable cloth strap, as well as a heavy duty rubber strap that will not slip off your climbing helmet or hard hat.

Batt. Type: Alkaline

Beam Concentration (MBCP): 2124 cd

Lumens: 60 lm

Run Time: 11 h

Lamp Life: 10000 h

SKU	No. of Batteries	Batt. Size	Includes
562-026900-0100-110	3	AAA	AAA Alkaline Batteries



MityLite™ Flashlights

Features:

- Compact design.
- Contoured body is corrosion-proof.
- Push-button tail switch for one-handed operation.
- For hands-free use attach it to your helmet or hard hat with included clip.
- Compact, lightweight design.
- Perfect for pockets, purses, tool kits, camera bags, or glove compartments.
- Easy on/off operation.

Test & Approvals: Ex(CE), UL, CSA Approved

Batt. Type: Alkaline

Beam Concentration (MBCP): 6,000 cp

Lumens: 7

Run Time: 2 h

Lamp Life: 20 h

Includes: (2) AAA Batteries

SKU	No. of Batteries	Batt. Size	Color
562-1900-015-110	2	AAA	Black
562-1900-015-245	2	AAA	Yellow



SabreLite™ Recoil LED™ Flashlights

Features:

- Recoil LED Technology™ produces a white collimated beam that's as bright as an incandescent light.
- Twist on/off lens shroud eliminates accidental discharge.

Batt. Type: Alkaline

Beam Concentration (MBCP): 5,189 cd

Lumens: 32

Run Time: 50 h

Lamp Life: 10,000 h

SKU	No. of Batteries	Batt. Size
562-2010-014-245	3	C



StealthLite™ Flashlights

Features:

- Corrosion proof.
- Resistant to extreme temperatures.
- Submersible.
- For hands-free operation, attach it to your hardhat with an optional helmet light holder.

Test & Approvals: UL, CE, CSA, MSHA, and EX Approved

Batt. Type: Alkaline

Beam Concentration (MBCP): 10,000 cp

Lumens: 31.5

Run Time: 4 h

Lamp Life: 30 h

SKU	No. of Batteries	Batt. Size	Color
562-2400-010-110	4	AA	Black
562-2400-010-245	4	AA	Yellow



Super PeliLite™ Flashlights

Features:

- Its Xenon lamp module can cut through, smoke, fog, and rain, making it a perfect light source for all applications.
- Accidental turn on and mechanical switch failure is eliminated because of the rotary on/off switch.
- Batteries (not included).

Test & Approvals: Ex(CE), FM, CSA, MSHA, and UL Approved

Batt. Type: Alkaline

Beam Concentration (MBCP): 4,370 cd

Lumens: 21

Run Time: 7.5 h

Lamp Life: 30 h

SKU	No. of Batteries	Batt. Size
562-1800-010-245	2	C



Super SabreLite™ Flashlights

Features:

- The Sabrelite™ has an exclusive state-of-the-art laser spot xenon lamp module that produces a tightly focused white light beam.
- Accidental turn on and mechanical switch failure is eliminated because of the rotary on/off switch.

Test & Approvals: Ex (CE), CSA, FM, MSHA and UL Approved

Batt. Type: Alkaline

Beam Concentration (MBCP): 12,000 cp

Lumens: 33

Run Time: 7.5 h

Lamp Life: 30 h

Includes: Stainless steel split ring; Black lanyard



SKU	No. of Batteries	Batt. Size	Color
562-2000-010-110	3	C	Black
562-2000-010-150	3	C	Orange
562-2000-010-245	3	C	Yellow



Argo® LED Headlamps

Features:

- Features one white C4® LED with three output modes.
- Push-button switch is easy to use when wearing gloves and is recessed to protect it from inadvertent activation.
- Low-level battery indicator visible in the facecap.
- 90° tilting head features a robust ratcheting system preventing neck fatigue.
- IPX4 rated for water resistance.

Test & Approvals: Meets applicable European Community Directives

Beam Concentration (MBCP): 9,250 cp; 6,375 cp; 2,750 cp

Lumens: 150 - High; 45 - Low

Run Time: 3 h - High; 30 h - Low

Lamp Life: 50,000 h

Includes: (3) AAA Alkaline Batteries; Elastic Head Strap; Rubber Hard Hat Strap



SKU	No. of Batteries	Batt. Size	Batt. Type
683-61301	3	AAA	Alkaline



Enduro® LED Headlamps

Features:

- Easy to use push button "on-off".
- Waterproof for one meter for up to one hour.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 850 cd

Lumens: 14.5 - High; 6 - Low

Modes: High; Low

Run Time: 24 h - Low; 6 h - High

Lamp Life: 100,000 h

Includes: Batteries; Visor Clip; Elastic/Rubber Strap



SKU	No. of Batteries	Batt. Size
683-61400	2	AAA



Haz-Lo™ Headlamps

Features:

- Intrinsically safe for use in atmospheres containing hazardous gases, vapors and liquids.
- Push-button switch provides easy operation when wearing heavy gloves.
- Impact resistant housing.
- O-Ring sealed, water resistant.

Test & Approvals: UL/cUL Classified for Class 1, Division 1, Class II, Division 2, Class III; MSHA, EX, CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 6800 cd

Lumens: 34

Run Time: 11 h

Lamp Life: 50,000 h

Includes: Elastic Head Strap; Rubber Hard Hat Strap; Batteries



SKU	No. of Batteries	Batt. Size
683-61200	3	AA



MicroStream® LED Flashlights

Features:

- Compact, slim, machined aluminum flashlight.
- Proprietary micro-optical system optimizes output and run time.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 360 cd

Lumens: 35

Run Time: 2 h 15 m

Lamp Life: 30,000 h

Includes: Batteries; Lanyard



SKU	No. of Batteries	Batt. Size
683-66318	1	AAA



Professional Tactical Flashlights

Features:

- Waterproof to 1 meter for 30 minutes.
- Compact, tactical flashlight featuring a super bright C4 LED.

Test & Approvals: CE

Modes: High; Low; Strobe

Color: Black

Lamp Life: 50,000 h

Includes: Batteries; Holster



SKU	No. of Batteries	Batt. Size	Batt. Type	Beam Concentration (MBCP)	Lumens	Run Time
683-88033	2	AA	Alkaline	3,000 cd; 250 cd	120 - High; 14 - Low	1.75 h - High; 21 h - Low
683-88031	2	3V	Lithium	4,000 cd; 300 cd	180 - High; 10 - Low	2.5 h - High; 50 h - Low



ProPolymer® Flashlights

Features:

- Waterproof, safety approved.
- Tail cap On/Off switching.
- Virtually indestructible, non-conductive polymer which features a rubber face cap for impact and shock resistance.
- Wrist lanyard connection.
- C-cell lights have a spring loaded clip.
- Includes batteries (except C-Cell models).

Test & Approvals: UL Listed Class I, Div. I; Class I, II, Div. 2; Class III; MSHA; CE

Includes: Alkaline Batteries

SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Lumens	Run Time	Lamp Life
683-68202	4	AA	—	67	155 h	100,000 h
683-67101	2	AA	—	67	18 h	30,000 h
683-68244	4	AA	3500 cd	42	4 hr	50,000 h



ProTac® HL

Features:

- Three different selectable programs with Ten-Tap programmable switch.
- Optimized electronics provide regulated intensity.
- Anti-roll head prevents the light from rolling away when you set it down.
- Removable pocket clip.
- O-ring sealed glass lens.
- Waterproof to 1 meter for 30 minutes.
- One meter impact resistance tested.

Test & Approvals: CE

Batt. Type: Lithium

Beam Concentration (MBCP): 16,000 cd; 800 cd

Lumens: 600 - High; 33 - Low

Modes: High; Low; Strobe

Run Time: 1 hr 15 min High; 18 hr Low

Lamp Life: 50,000 h

Includes: (2) 3 Volt CR123A Lithium Batteries



SKU	No. of Batteries	Batt. Size
683-88040	2	3V CR123A Lithium



Septor® LED Headlamps

Features:

- Seven 100,000 hr. life ultra-bright, white LED's.
- Adjustable elastic head strap and rubber hard hat strap.
- 90° tilting head.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 900 cd

Lumens: 13 @ 1 LED; 45 @ 3 LEDs; 120 @ 7 LEDs

Modes: 1 LED; 3 LEDs; 7 LEDs

Run Time: 150 h - 1 LED

Lamp Life: 100,000 h

Includes: Batteries; Elastic & Rubber Hard Hat Straps



SKU	No. of Batteries	Batt. Size
683-61052	3	AAA



Stinger® LED Rechargeable Flashlights

Features:

- Multi-function On/Off push-button switch lets you choose three lighting modes and strobe; designed for extremely long life; tested at 1 million actuations.
- Unbreakable polycarbonate lens with scratch-resistant coating

Test & Approvals: CE

Batt. Type: NiCd Rechargeable

Beam Concentration (MBCP): 11,000 cd; 24,000 cd; 48,000 cd

Lumens: 350 - High; 175 - Medium; 85 - Low

Modes: High; Medium; Low; Strobe

Color: Black

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lamp Life: 50,000 h

Includes: AC & DC Charge Cords; (2) Holders

SKU	No. of Batteries	Batt. Size
683-75713	1	3.6V



Streamlight Jr.® LED Flashlights

Features:

- Push-button tailcap--steady on and momentary on/off operation.
- Shock-, water-resistant.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 1,600 cp

Lumens: 85

Run Time: 4 h

Lamp Life: 50,000 h

Includes: Nylon Flapless Holster



SKU	No. of Batteries	Batt. Size
683-71500	2	AA



**Streamlight® ProTac
HL® Headlamps**

Features:

- Designed for maximum illumination with a wide beam, with the ability to light an entire area.
- Solid state power provides maximum light output throughout battery life.
- 90 degree tilting head reduces neck fatigue.
- Durable, anodized aluminum construction.
- Gasket-sealed glass lens.

Batt. Type: Lithium

Beam Concentration (MBCP): 7,400 cd; 1,200 cd; 250 cd

Lumens: 635 - High; 105 - Medium; 20 - Low

Modes: High, Medium, Low

Run Time: 1.75 h - High; 36 h - Low

Lamp Life: 50,000 h

SKU	No. of Batteries	Batt. Size	Includes
683-61304	2	3V CR123A	2 Batteries; Rubber Helmet Strap; Adjustable Elastic Strap



Strion® LED Flashlights

Features:

- Ultra compact and powerful, the flashlights offer three microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology.
- The combination of rechargeable batteries and the C4® LED results in one of the lowest operating costs of any flashlight made.
- C4® LED technology for extreme brightness.
- Compact, snap-in charger mounts in any position.
- Serialized for positive identification.
- Fully recharges battery in three hours while in the product.
- Comes with 1 charge cradle and 1 AC cord.

Test & Approvals: CE

Batt. Type: Lithium Ion

Beam Concentration (MBCP): 2,500 cd; 5,000 cd; 10,000 cd

Lumens: 160 - High; 80 - Medium; 40 - Low

Modes: High; Medium; Low; Strobe

Run Time: 2 h - High; 4 h - Medium; 7.5 h - Low

Lamp Life: 50,000 h

Includes: AC & DC Charge Cords; 2 Charger/ HOLDERS

SKU	No. of Batteries	Batt. Size
683-74302	1	3.75 V



Stylus Pro® LED Flashlights

Features:

- Compact, slim, machined aluminum flashlight.
- Proprietary micro-optical system optimizes output and run time.
- Rotary switch with a 1/4 in high actuator.

Test & Approvals: CE

Batt. Type: Alkaline

Lamp Life: 30,000 h

Includes: Batteries; Pocket Clip

SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Lumens	Modes	Color	Run Time
683-66122	2	AAA	690 cd	24	Constant On/Off	Blue	7.5 h
683-66118	2	AAA	690 cd	65	On/Off	Matte Black	Up to 7.5 h
683-66120	2	AAA	690 cd	65	On/Off	Red	Up to 7.5 h



**Stylus Reach®
Flashlights**

Features:

- Flexible, insulated cable extension.
- Momentary "blink" or constant "on" switching.
- Waterproof.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 140 cd

Lumens: 11

Modes: On/Off

Run Time: 24 h

Lamp Life: 100,000 h

Includes: Pocket Clip; Batteries



SKU	No. of Batteries	Batt. Size
683-65618	3	AAAA



Stylus® Flashlights

Features:

- Waterproof.
- Individually serialized.
- Momentary "blink" switch and constant "on".
- Nonslip grip.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 140 cd

Lumens: 11

Run Time: 24 h

Lamp Life: 100,000 h

Includes: Pocket Clip; Batteries



SKU	No. of Batteries	Batt. Size
683-65018	3	AAAA



Medium Protector Cases

Features:

- Easy open Double Throw latches.
- Open cell core with solid wall design - strong, light weight.
- Automatic Pressure Equalization Valve.
- Comfortable rubber over-molded handle.
- Stainless steel hardware and padlock protectors.
- Pick N Pluck™ with convoluted lid foam.
- O-RING SEAL.

Test & Approvals: Nat Codified and Tested to MIL C-4150J (Military Standard), IP-67 (Ingress Protection)

SKU	Color	Height	Width	Depth
562-1450-000-110	Black	13 in	16 in	6.87 in



Trident® Headlamps

Features:

- LEDs provide low lighting for battery economy.
- Small, lightweight design with adjustable straps.
- Water resistant, with scratch-resistant lens.

Test & Approvals: CE

Batt. Type: Alkaline

Lumens: 24 3-LEDs, 12 Xenon, 9 1-LED

Modes: Xenon; 1 LED; 3 LEDs

Color: Yellow

Run Time: 150 h - 1 LED

Lamp Life: 100,000 h

Includes: Batteries; Elastic & Rubber Hard Hat Straps



SKU	No. of Batteries	Batt. Size
683-61050	3	AAA



Small Protector Cases

Features:

- Open cell core with solid wall design - strong, light weight.
- Automatic Pressure Equalization Valve.
- Stainless steel hardware.
- Pick N Pluck™ with convoluted lid foam.
- O-RING SEAL.

Test & Approvals: Nat Codified and Tested to MIL C-4150J (Military Standard), IP-67 (Ingress Protection)

Height: 11.6 in

Width: 13.4 in

Depth: 6 in



SKU	Color
562-1400-000-110	Black