

### EYE PROTECTION

Eye injuries are some of the most common, and most avoidable, accidents that occur in the workplace. Ensure employee safety by providing proper eye protection to all employees at risk of eye injuries from exposure to dust, particles, chemicals, environmental irritants, or debris.

#### Wear Them at Work - and at Home

According to the Center for Disease Control, roughly 2,000 job-related eye injuries requiring medical treatment occur each day.

In addition, studies are showing that nearly half of the 2.5 million eye injuries that occur annually in the U.S. are happening around the house, according to the American Academy of Ophthalmology (Academy) and the American Society of Ocular Trauma (ASOT).

Educating people about eye injury risks and encouraging them to use their eyewear – even when at home – will help protect your employees.

Sources: HYPERLINK "http://www.cdc.gov" www.cdc.gov, HYPERLINK "http://www.ohsonline.com" www.ohsonline.com





#### **Eyewear Cleaning Wipes**

#### Features:

- Individually packaged premoistened wipes for cleaning eyewear.
- · Anti-fog and anti-static.
- Excellent for glass or polycarbonate lenses.
- Perfect office accessory great for computer screens.
- Silicone free.



ANCHOR





#### Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Strategic placement of towelette dispensers throughout a facility will promote proper lens cleaning habits and extend the life of prescription and non-prescription eyewear.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.

| SKU       | Width | Length |
|-----------|-------|--------|
| 101-70-AB | 5 in  | 8 in   |





#### **Pre-Moistened Cleaning Tissues**

#### Features:

- Keep glass or plastic lenses spotless with antifog, antistactic cleaner.
- Comes in dispenser box that can be attached to wall or placed on countertop.
- · Tissues come in individual packets.
- Includes 100 tissues in dispenser box.

| SKU        | Width | Length |
|------------|-------|--------|
| 076-8574GM | 5 in  | 8 in   |





#### **Foam and Strap Kits**

#### Features:

- Accessory kit for Bolle Rush+ Safety Glasses.
- Foam seals glasses from light airborne particles or debris.
- Adjustable head strap.

| SKU       | Includes                       |
|-----------|--------------------------------|
| 286-40293 | (1) Foam Insert;(1) Rush Strap |





#### **Safety Glasses Dispenser**

#### **Features**

- Our economy dispenser holds a sleeve of visitor specs or loose safety glasses.
- Plastic dispenser can be table or wall mounted.

| SKU       | Width | Length |
|-----------|-------|--------|
| 262-2011L | 9 in  | 8.4 in |





#### **Disposable Lens Cleaning Stations**

#### Engturo

- Specifically formulated for anti-fog and scratch resistant hardcoats.
- Does not contain silicone.

| SHIP. | SKU      |  |
|-------|----------|--|
|       | 763-S467 |  |

#### Honeywell UVEX

#### **Fog Eliminator Cloths**

#### Features:

- Streak and film free.
- Alcohol and silicone free.
- Non-flammable and non-toxic.



763-S477

#### Honeywell UVEX

#### **Genesis® Replacement Lenses**

- Easy and economical lens replacement system.
- Reduce your annual safety eyewear expenses.
- Available in a variety of task specific tints, coatings and styles to meet almost any application.

763-S6900X





#### **Lens Cleaning Products**

#### Features:

Specifically

formulated for anti-fog and scratch resistant hardcoats.

Uvex clear does not contain silicon.

| SKU Includes |   |  |
|--------------|---|--|
| 763-S461     | <ol> <li>16 oz Uvex Clear Cleaning Solution; 4 boxes of 500 tissues; 3.5 in x 4.5<br/>in mirror; Screw mounts and adhesive foam for quick mounting</li> </ol> |  |
| 763-S462     | Lens Cleaning Tissues; 500 per box  |  |
| 763-S463     | Lens Cleaning Solution Spray Bottle; 16 oz.   |  |
| 763-S468     | Lens Cleaning Moistened Towelettes; 100 Per Box   |  |





#### **Disposable Lens Cleaning Stations**

#### Features:

- Disposable.
- For cleaning plastic, polycarbonate, or glass lenses and goggles.

| SKU      | Width | Length |
|----------|-------|--------|
| 135-LCS1 | 5 in  | 8 in   |





#### Spec Saver® Towelettes

#### Features:

- Premoistened towelettes are safe to use on plastic. polycarbonate and glass lenses.
- Safe and effective with all types of lens coatings.
- Ideal for glasses, goggles, face shields, and computer screens.
- Anti-fog, anti-static formula; contains no silicone.
- Individual use packets are easy to carry.

Width: 8 1/2 in

| Length |   |
|--------|---|
| 5 in   |   |
|        |   |
| 075    | - |
|        |   |
|        |   |



#### Features:

- Molded to a bendable softness.
- Absorbs the energy of impact.
- Temple folds correctly.
- No parts or tools required.
- · Weaves through temple.

Test & Approvals: Conforms to ANSI Standards

| SKU       | Includes                | Width | Length  |
|-----------|-------------------------|-------|---------|
| 112-99705 | Clear Color Sideshields | 2 in  | 1.75 in |
| 112-99706 | Smoke Color Sideshields | 2 in  | 1.75 in |



#### **Lensclean Disposable Dispensers**

#### Features:

- Prevents fogging.
- Dispensers can be positioned close to workers & easily moved.
- Removes dirt and grime.

Width: 3.5 in

| SKU   | Includes | Width | Length  |
|---|----------|-------|---------|
| 292-1LC5000D 16 oz Liquid Cleaner; 1520 Tissues |          | 5 in  | 10.5 in |

VisionAid

LENS CLEANING







#### SafetyClean™ Pre-Moistened Towelettes

#### Features:

- Cleans and coats the lens with anti-fog and anti-static solution.
- Ideal for industrial, office, or lab environments.

Individually foil packaged.



CVIsionAid SafetyClean

| SKU         | Width | MANUFACTURE OF THE PARTY OF THE |
|-------------|-------|--|
| 292-1LCT100 | 5 in  |  |





#### Solus™ 1000-Series Kits

#### **Features**

- Scotchgard™ Anti-Fog Coating lasts longer (withstands at least 25 washings) than traditional anti-fog coatings, helping to increase eyewear performance in wet and steamy environments.
- Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens.
- The coating withstands disinfection with diluted bleach soaking or alcohol wipes without losing its anti-fog performance.
- Removable padded temples and a soft nose bridge for added comfort.
- One size fits most.

Lens Material: Polycarbonate

| SKU              | Frame Color  | Lens Tint | Lens Coating/Shade   |
|------------------|--------------|-----------|----------------------|
| 247-S1102SGAF    | Blue & Black | Gray      | Scotchgard™ Anti-Fog |
| 247-S1101SGAF    | Black/Blue   | Clear     | Anti-Fog             |
| 247-S1201SGAF    | Black/Green  | Clear     | Anti-Fog             |
| 247-S1201SGAF-KT | Black/Green  | Clear     | Anti-Fog             |





#### **Wraparound Dual Lens Eyeware 13407**

#### Features

- SmartLens protective eyewear lightens and darkensin response to outdoor light conditions.
- Features transitional, abrasion-resistant polycarbonate lenses.
- Soft adjustable nosebridge, nylon brow and magnesium alloy spring-hinged temple provide a flexible fit.

Lens Material: Polycarbonate Resistance: Fog; Scratch; UV

| SKU               | Frame Color | Lens Tint | Lens Coating/Shade              |
|-------------------|-------------|-----------|---------------------------------|
| 247-13407-00000-5 | Black       | Clear     | Anti-Fog: Scratch-Resistant; UV |

# 3M



#### Features:

- Adjustable soft tip temples feel good even after extended wear.
- High impact lens blocks 99.9% UV.
- Lens angle adjustability.
- Soft universal-fit nose bridge.

Test & Approvals: Meets ANSI Z-87.1-2003 & CSA Z94.3 Standards

Lens Material: Polycarbonate Lens Coating/Shade: Hard Coat Resistance: Scratch; UV

| SKU                | Frame Color  | Lens Tint | Diopter Strength |
|--------------------|--------------|-----------|------------------|
| 247-11374-00000-20 | Black/Silver | Clear     | 1.5              |
| 247-11375-00000-20 | Black/Silver | Clear     | 2                |

# 3 M

# Lexa™ Fighter Safety Eyewear

#### Features:

- Lexa fighter protective eyewear combines extra wide viewing range and contoured design, and is fully customizable with multiple lens options, three lens angles and four temple lengths.
- Made in U.S.A..

Test & Approvals: Meets ANSI Z87.1-2003, CSA Z94.3 Standards

**Lens Material**: Polycarbonate **Resistance**: Chemical; Scratch; UV

| SKU                 | Frame Color | Lens Tint | Lens Coating/Shade |
|---------------------|-------------|-----------|--------------------|
| 247-15152-00000-100 | Black       | Clear     | Anti-Fog           |



#### Moon Dawg™ Safety Eyewear

#### Features:

- The surf-inspired design combines wide temples, roctangular lenses and a choice of either tortoise or black frames for a hip, fashionable look.
- With excellent side coverage and durability, Moon Dawg protective eyewear delivers high-impact vision protection.

**Test & Approvals**: Meets the High Impact Requirements of ANSI Z87.1-2003

Lens Material: Polycarbonate Resistance: 99.9% UV

| SKU                | Frame Color | Lens Tint | Lens Coating/Shade |
|--------------------|-------------|-----------|--------------------|
| 247-11215-00000-20 | Black       | Gray      | Anti-Fog           |

#### / WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

#### Nuvo™ Reader **Protective Eyewear**

#### Features:

- Choose a classic these attractive readers combine a distinct, nostalgic look with reliable performance.
- Ensure a comfortable, flexible fit with adjustable temples, an integral brow bar and soft nosepiece.
- Contoured frame and sideshields offer additional comfort.
- Molded-in magnifying diopter.

Test & Approvals: ANSI Z87.1-2003, CSA Z94.3-2007

Lens Material: Polycarbonate Resistance: 99.9% UV; Impact

| SKU                | Frame Color | Lens Tint | Diopter Strength | Lens Coating/Shade |
|--------------------|-------------|-----------|------------------|--------------------|
| 247-11434-00000-20 | Gray        | Clear     | +1.5             | Anti-Fog           |
| 247-11435-00000-20 | Gray        | Clear     | +2               | Anti-Fog           |
| 247-11436-00000-20 | Gray        | Clear     | +2.5             | Anti-Fog           |





#### QX™ Protective Eyewear 2000

#### Features:

- Stylish, wrap-around frame.
- Combines clarity of vision with optimum safety standards.
- Features soft nose bridge and adjustable temples.

Test & Approvals: ANSI Z87.1-2003, CSA Z94.3-2007

Lens Material: Polycarbonate

Resistance: Scratch

| SKU                | Frame Color | Lens Tint  | Lens Coating/Shade |
|--------------------|-------------|------------|--------------------|
| 247-12180-10000-20 | Black       | MinimlzeR™ | Hard Coat          |
|                    |             |            |                    |



#### **SecureFit™ Protective** Eyewear, 400 Series

#### Features:

- Soft.
  - adjustable nosepads for greater personalization.
- Proprietary self-adjusting 3M<sup>™</sup> Pressure Diffusion Temple Technology.
- Dual-injected, padded temple touchpoints for added comfort over the ears.
- Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style.

Lens Material: Polycarbonate Resistance: 99.9% UV; Fog

| SKU         | Frame Color | Lens Tint | Lens Coating/Shade |
|-------------|-------------|-----------|--------------------|
| 247-SF401AF | Gray        | Clear     | Anti-Fog           |
| 247-SF402AF | Gray        | Gray      | Anti-Fog           |

#### Seepro™ Plus Fighter **Protective Eyewear**

#### Features:

- Durable and economical choice that features one-piece lens construction and contoured temples.
- Wrap-around frame design.
- Clear, anti-fog lens.

Test & Approvals: CSA Z94.3-2007; High Impact

Requirements of ANSI Z87.1-200 Lens Material: Polycarbonate

| SKU                 | Frame Color | Lens Tint | Resistance |
|---------------------|-------------|-----------|------------|
| 247-15957-00000-100 | Clear       | Clear     | Fog; UV    |

#### Virtua™ CCS **Protective Eyewear**

#### Features:



- Designed to keep a corded earplug attached, untangled, and ready-for-use.
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning.

Lens Material: Polycarbonate Lens Coating/Shade: Anti-Fog Resistance: 99.9% UV; Fog

| SKU                | Frame Color | Lens Tint             | Diopter Strength |
|--------------------|-------------|-----------------------|------------------|
| 247-VC215AF        | Blue        | Clear                 | 1.5              |
| 247-11873-00000-20 | Black       | Gray                  | NA               |
| 247-11872-00000-20 | Clear       | Clear                 | NA               |
| 247-VC220AF        | Clear       | Clear                 | 2.0              |
| 247-11874-00000-20 | Clear       | Indoor/Outdoor Mirror | NA'              |





#### Virtua™ Safety Eyewear

#### Features:

- Contoured flexible temples for comfortable fit.
- Lightweight Less than 1 oz.
- Sleek Styling with both men and women.

Test & Approvals: ANSI Z87.1-2010 Lens Material: Polycarbonate

| SKU                 | Frame<br>Color | Lens Tint                | Lens Coating/<br>Shade | Resistance          |
|---------------------|----------------|--------------------------|------------------------|---------------------|
| 247-11818-00000-20  | Clear          | Clear                    | Anti-Fog; Hard Coat    | Fog; UV             |
| 247-11329-00000-20  | Clear          | Clear                    | Anti-Fog               | Scratch; UV         |
| 247-11326-00000-20  | Clear          | Clear                    | Hard Coat              | Scratch; UV         |
| 247-11228-00000-100 | Clear          | Clear                    | Uncoated               | UV                  |
| 247-11328-00000-20  | Clear          | Indoor/Outdoor<br>Mirror | Hard Coat              | Scratch; UV         |
| 247-11330-00000-20  | Gray           | Gray                     | Anti-Fog               | 99.9% UV;<br>Impact |
| 247-11327-00000-20  | Gray           | Gray                     | Hard Coat              | Scratch; UV         |

# 31



#### Virtua™ Sport CCS Safety Eyewear

#### Features:

- Corded earplug control system, designed to keep eyewear and earplugs attached, untangled and ready-to-use.
- · Can help reduce the expense of replacing lost earplugs and eyewear.
- · Compatible with a variety of vinyl-corded earplugs.
- Earplug cord can be worn around the neck to carry eyewear when neither product is in use.
- Earplugs (Not Included).

Test & Approvals: Meet the Requirements of ANSI Z87. 1-2003

**Lens Material**: Polycarbonate **Resistance**: 99.9% UV

| SKU                | Frame Color | Lens Tint | Lens Coating/Shade |
|--------------------|-------------|-----------|--------------------|
| 247-11796-00000-20 | Clear       | Clear     | Anti-Fog           |
| 247-11797-00000-20 | Clear       | Clear     | Hard Coat          |





#### Virtua™ V4 Safety Eyewear

#### Features:

- Safety glasses designed with a comfortable, lightweight frame are ideal for general everyday use.
- Wrap-around coverage and soft, dual-injected temples help relieve hot spots around the ears.
- Unisex design combines outstanding style, protection and affordability.

Lens Material: Polycarbonate Resistance: 99.9% UV; Scratch

| SKU                | Lens Tint | Lens Coating/Shade | - |
|--------------------|-----------|--------------------|---|
| 247-11672-00000-20 | Clear     | Anti-Fog           |   |
| 247-11670-00000-20 | Clear     | Hard Coat          |   |





# Contemporary Bifocal Safety Glasses

#### Features:

- Nylon frames, nose and ear pads.
- Anti-fog venting.
- Extended shape for better protection.

Test & Approvals: ANSI Z87+ Lens Material: Polycarbonate Lens Coating/Shade: Clear

Resistance: Scratch; Shatter; UVA/UVB

| SKU       | Frame Color | Diopter Strength |  |
|-----------|-------------|------------------|--|
| 101-CC150 | Black       | 1.5              |  |
| 101-CC175 | Black       | 1.75             |  |
| 101-CC200 | Black       | 2                |  |
| 101-CC250 | Black       | 2.5              |  |





#### **Full-Lens Magnifying Safety Glasses**

#### Features:

- Ideal for close-up work.
- Side shields.
- Perfect for under a welding helmet.

Test & Approvals: ANSI Z87+ Lens Material: Polycarbonate Lens Coating/Shade: Clear

Resistance: Fog; Scratch; Shatter; UVA/UVB

| SKU       | Frame Color | Lens Tint | Diopter Strength |
|-----------|-------------|-----------|------------------|
| 101-MS125 | Clear       | Clear     | 1.25             |
| 101-MS150 | Clear       | Clear     | 1.5              |
| 101-MS175 | Clear       | Clear     | 1.75             |
| 101-MS200 | Clear       | Clear     | 2                |
| 101-MS225 | Clear       | Clear     | 2.25             |
| 101-MS250 | Clear       | Clear     | 2.5              |
| 101-MS300 | Clear       | Clear     | 3                |



# **Baxter Series Safety Glasses**



#### Features:

- Features Platinum® coating.
- Wrap-around frame provides increased peripheral protection.
- Waterproof foam and removable strap for extended wear comfort.

Lens Material: Polycarbonate

Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

Resistance: Fog; Scratch

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 286-40278 | Blue/Gray   | CSP       |
| 286-40276 | Blue/Gray   | Clear     |
| 286-40277 | Blue/Gray   | Smoke     |



# Cobra Series Safety Glasses

#### Features:

- Panoramic vision.
- Provides upper protection.
- Non-slip bridge.

Lens Material: Polycarbonate

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 286-40040 | Black/Gray  | HD        |



These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.





# **Contour Series Safety Glasses**

#### Features:

- Ultra light weight frame provides extensive eye coverage.
- Optimal fit and comfort with non-slip temple tips.
- Reinforced nose bridge.
- Non-slip rubber nose pads.
- High contour (8 base), dual lens with 180 degree distortion free viewing and superior optical quality.

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Resistance: Fog; Scratch; Static

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 286-40044 | Black       | Clear     |
| 286-40045 | Black       | Smoke     |



#### Rush Series Safety Glasses

#### Features:

- Optimal fit, ultra lightweight frame.
- High contour (10 base) single piece lens with 180 degree distortion free viewing and superior optical quality.
- Dielectric, non-conductive frame.
- Adjustable silicone nose pads.

Lens Material: Polycarbonate

| SKU       | Frame Color | Lens Tint | Lens Coating/Shade        | Resistance   |
|-----------|-------------|-----------|---------------------------|--------------|
| 286-40070 | Clear       | Clear     | Anti-Fog; Anti-Scratch    | Fog; Scratch |
| 286-40113 | Clear       | HD        | Anti-Scratch; Hydrophobic | Scratch      |
| 286-40072 | Twilight    | Twilight  | Anti-Fog; Anti-Scratch    | Fog; Scratch |



## Rush+ Series Safety Glasses

#### Features:

- Features high impact 2.2 mm polycarbonate lens.
- High-contour, single-piece lens with 180° distortion-free viewing.
- Provides upper brow protection.
- Platinum® anti-fog/anti-scratch coating on both sides.
- Optimal fit and comfort with non-pressure co-molded temples.
- Anti-slip silicone nose pads.

Lens Material: Polycarbonate

Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

Resistance: Fog; Scratch

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 286-40252 | Black/Red   | Clear     |
| 286-40208 | Black/Gray  | Smoke     |
| 286-41080 | Black/Red   | Clear     |



# **Tracker Series Safety Glasses**

#### Features

- Tinted lens reduces eye fatigue and eye strain caused by blue light.
- Perfect for indoor and outdoor use—43% visible light transmittance.
- Rubberized eye seal provides exceptional protection against dust and other particles.
- Adjustable headstrap improves fit and protection.
- Can be fitted with an Rx prescription lens adapter while maintaining impact protection approval.

Test & Approvals: ANSI Z87.1-2010; ANSI Z87+U6; ANSI Z87+U6S; CSA


Z94.3-2007

Lens Material: Polycarbonate Lens Coating/Shade: Clear Resistance: Fog; Scratch

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 286-40085 | Black/Gray  | Clear     |

#### Honeywell





#### **A400 Series Eyewear**

#### Features:

- Stay safe and secure with sturdy safety glasses with durable polycarbonate lenses.
- Sporty, unitary wraparound lens design offers style and protection with economy in mind.
- Glasses are scratch- and impact-resistant.

Test & Approvals: ANSI; CSA Lens Material: Polycarbonate Lens Coating/Shade: Hard Coat

Resistance: Scratch

| SKU      | Frame Color | Lens Tint |
|----------|-------------|-----------|
| 812-A400 | Clear       | Clear     |

## Honeywell





#### A700 Series Eyewear

#### Features:

- Flexible temples with soft padded temple tips.
- Molded nose bridge for comfortable fit.

**Test & Approvals**: Complies with ANSI Z87+ & CSA Z94.3 High Impact Standards

Lens Material: Polycarbonate Lens Coating/Shade: Hard Coat Resistance: Impact; Scratch

| SKU      | Frame Color | Lens Tint | ı |
|----------|-------------|-----------|---|
| 812-A700 | Clear       | Clear     |   |

#### Honeywell





#### **A800 Series Eyewear**

#### Features:

- Soft padded inserts run down the length of the temple.
- Soft nosepiece for added comfort.

Test & Approvals: Complies with ANSI Z87+ High Impact Standards

Lens Material: Polycarbonate

| SKU      | Frame Color | Lens Tint | Lens Coating/Shade | Resistance      |
|----------|-------------|-----------|--------------------|-----------------|
| 812-A805 | Clear       | Clear     | Fog-Ban® Anti-Fog  | Fog; Impact     |
| 812-A800 | Clear       | Clear     | Hard Coat          | Scratch         |
| 812-A801 | Gray        | Gray      | Hard Coat          | Impact; Scratch |

#### Honeywell





#### **A900 Series Reader Magnifier Eyewear**

#### Features:

- Lightweight eyewear features soft padded temple tips and non-slip nose bridge.
- Stylish 8-base wrap-around design provides comfortable fit for extended wear.
- Impact-resistant polycarbonate lenses with superior UV protection.

Test & Approvals: Meets ANSI Z87+

**Diopter Strength: 1.5** Lens Material: Polycarbonate Lens Coating/Shade: Hard Coat

| SKU      | Frame Color | Lens Tint | i |
|----------|-------------|-----------|---|
| 812-A950 | Black       | Clear     | Ī |

#### Honeywell

NORTH



#### **Adaptec Series**

- Designed to meet the unique eyewear fitting requirements of every individual.
- · Features padded, fully adjustable temples, nosepiece and lens inclination.
- Exclusive 4A coating.

Lens Material: Polycarbonate Lens Coating/Shade: North 4A Resistance: Fog; Scratch; Static; UV

| SKU          | Frame Color | Lens Tint | ł |
|--------------|-------------|-----------|---|
| 068-T5900LTK | Blue/Gray   | Clear     |   |

#### Honeywell



- Lenses feature Uvextreme Plus® anti-fog coating for long-lasting fog-free vision.
- Designed to withstand the harshest conditions.
- Superior anti-scratch resistance.
- 100% Dielectric.

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Resistance: Scratch

| SKU         | Frame Color | Lens Tint | - |
|-------------|-------------|-----------|---|
| 763-S2600HS | Black       | Clear     | Ξ |

#### Honeywell **UVEX**



#### 880 Series Klip Lifts

#### Features:

- · Designed to easily clip onto hard hat or bump cap brims.
- Can be quickly flipped down to enhance vision. then flipped back up when not needed.
- Worn in conjunction with existing protective evewear.

Test & Approvals: ANSI Z87.1

Lens Coating/Shade: Cobalt Blue Shade 8

Resistance: UV

| SKU                | Lens Tint           |
|--------------------|---------------------|
| 763-32-8LFFB8-0000 | Cobalt Blue Shade 8 |

### Honeywell



#### Astro Over-The-Glass® Safety Spectacles

- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.
- Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades.
- Custom imprinting available.

Test & Approvals: ANSI; CE; CSA Lens Material: Polycarbonate Lens Coating/Shade: Anti-Fog

| SKU         | Frame Color | Lens Tint |
|-------------|-------------|-----------|
| 763-\$2500C | Black       | Clear     |

#### Honeywell

UVEX



#### Astrospec 3000® Eyewear

#### Features:

- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.
- · Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades.
- Custom imprinting available.

Lens Material: Polycarbonate

| SKU       | Frame Color    | Lens Tint | Lens Coating/Shade | Resistance   |
|-----------|----------------|-----------|--------------------|--------------|
| 763-S135C | Black          | Clear     | Uvextreme®         | Fog          |
| 763-S1111 | Black          | IR 3.0    | Ultra-dura®        | Anti-Scratch |
| 763-S1112 | Black          | IR 5.0    | Ultra-dura®        | Anti-Scratch |
| 763-S1169 | Blue/Red/White | Clear     | Ultra-dura®        | Anti-Scratch |





#### Astrospec OTG® 3001 Eyewear

#### Features:

- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.
- Wide variety of lens tints available include: traditional. SCT®, and infradura® welding shades.
- Custom imprinting available.

Test & Approvals: ANSI; CE; CSA Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Scratch; Hard Coat

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 763-S2500 | Black       | Clear     |
| 763-S2509 | Black       | IR 5.0    |

# Honeywell



#### Genesis XC® Eyewear

#### Features:

- Xtra Comfort, Xtra Coverage.
- Dual 9-base "wrap" lens provides uncompromised vision and protection.
- Soft flexible fingers conform to any nasal profile.
- Soft elastomer browguard for point-of-contact comfort.
- Easy and economical lens replacement system.
- Adjustable temple length and lens inclination.
- Available with your choice of soft dual shot or spatulite temple tips.
- Lenses available in Ultradura® hard coat or Uvextreme® AF anti-fog coating.

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 Standards

Lens Material: Polycarbonate Lens Coating/Shade: Ultra-dura®

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 763-S3300 | Black       | Clear     |

## Honeywell

#### Genesis® Eyewear

#### Features:

- Dual 9-base wraparound lens provides uncompromised peripheral vision and protection.
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage.
- Soft elastomer brow guard diffuses and deflects impact.

Lens Material: Polycarbonate

| SKU         | Frame<br>Color | Lens Tint             | Lens Coating/<br>Shade   | Resistance          |
|-------------|----------------|-----------------------|--------------------------|---------------------|
| 763-S3200HS |                | Clear                 | HydroShield™<br>Anti-Fog | Impact; Scratch; UV |
| 763-S3200   | Black          | Clear                 | Ultra-dura®              | Scratch             |
| 763-S3200X  | Black          | Clear                 | Uvextreme®               | Fog                 |
| 763-S3212X  | Black          | Dark Gray             | Uvextreme®               | Fog                 |
| 763-S3201   | Black          | Espresso              | Ultra-dura®              | Scratch             |
| 763-S3206   | Black          | Infra-dura® Shade 2.0 | Ultra-dura®              | Scratch             |
| 763-S3208   | Black          | Infra-dura® Shade 5.0 | Ultra-dura®              | Scratch             |
| 763-S3209   | Black          | SCT-Low IR            | Ultra-dura®              | Scratch             |
| 763-S3204   | Black          | SCT-Reflect 50        | Ultra-dura®              | Scratch             |
| 763-S3240   | Blue Vapor     | Clear                 | Ultra-dura®              | Scratch             |
| 763-S3240X  | Blue Vapor     | Clear                 | Uvextreme®               | Fog                 |



#### Features:

- Classic flip-up style glasses offer versatility for workers without sacrificing security.
- Shaded lens protects against high-intensity light while the clear lens offers superior impact protection.
- Side shields provide extra protection against flying particles.

Test & Approvals: Passes ANSI Z87+ Standard

Lens Material: Polycarbonate

Lens Coating/Shade: Infradua®; Ultra-dura®

| SKU      | Frame Color | Lens Tint                | Resistance   |
|----------|-------------|--------------------------|--|
| 763-S212 | Black       | Filter 3.0               | 99.9% UV; Scratch  |
| 763-S213 | Black       | Infra-dura®<br>Shade 5.0 | Abrasion; Airborne Particulates; Biohazard;<br>High Intensity Light; Impact; Scratch |

#### Honeywell UVEX

#### Hypershock™ Safety Eyewear

#### Features:

- Lightweight, wrap-around frame is engineered to fit a wide range of workers in a broad range of industries.
- Provides increased coverage, side protection and superior peripheral vision.
- 100% dielectric can be worn in environments where accidental exposure to electrical charge is possible.

Lens Material: Polycarbonate

| SKU         | Frame Color | Lens Tint          | Lens Coating/Shade | Resistance |
|-------------|-------------|--------------------|--------------------|------------|
| 763-S2940XP | Black       | Clear              | Uvextreme® Plus AF | Fog        |
| 763-S2949   | Black       | Espresso Polarized | Hard Coat          | Scratch    |
| 763-S2941XP | Black       | Gray               | Uvextreme® Plus AF | Fog        |
| 763-S2975   | Clear Ice   | Blue Mirror        | Hard Coat          | Scratch    |
| 763-S2969   | Smoke Brown | Espresso Polarized | Hard Coat          | Scratch    |

#### Honeywell UVEX



#### Millennia™ Eyewear

#### Features:

- Lightweight frame with superior side and brow protection.
- High impact dual 9-base wrap-around unilens.
- Comfortable universal nose bridge.

Test & Approvals: Meets ANSI Z87+ and CSA Z94.3 Safety Standards

Lens Material: Polycarbonate Lens Coating/Shade: Ultra-dura®

| SKU          | Frame Color | Lens Tint |
|--------------|-------------|-----------|
| 763-11150350 | Black       | Clear     |

#### Honeywell UVEX



#### Protégé™ Eyewear

#### Features:

- Proprietary Floating Lens™ design offers increased flexibility for better fit.
- Secure wrap-around brow expands to fit a wide range of users.
- Soft temple tip pads.
- Soft, clear nose pads prevent slipping.

Lens Material: Polycarbonate

| SKU         | Frame Color    | Lens Tint | Lens Coating/Shade    | Resistance          |
|-------------|----------------|-----------|-----------------------|---------------------|
| 763-S4200HS | Black          | Clear     | HydroShield™ Anti-Fog | Impact; Scratch; UV |
| 763-S4200   | Metallic Black | Clear     | Hard Coat             | Scratch             |
| 763-S4200X  | Metallic Black | Clear     | Uvextra™AF            | Fog                 |
| 763-S4210   | Sandstone      | Clear     | Hard Coat             | Scratch             |
| 763-S4210X  | Sandstone      | Clear     | Uvextra™AF            | 99.9% UV; Fog       |
| 763-S4211   | Sandstone      | Gray      | Hard Coat             | Scratch             |

#### Honeywell UVEX



#### Seismic™ Sealed Eyewear

#### Features:

- Can be worn with temples or adjustable headband (both included) and with or without cushioned frame.
- Premier comfort and seal with high quality face cushioning and flexible nasal pads.

**Test & Approvals:** Complies with ANSI Z87+ and CSA Z94.3 Standards (ANSI certified for use with and without cushion lined frame; CSA certified for use with cushion lined frame only)

Lens Material: Polycarbonate

| SKU        | Frame Color | Lens Tint | Lens Coating/Shade | Resistance           |
|------------|-------------|-----------|--------------------|----------------------|
| 763-S0600D | Black       | Clear     | Dura-Streme™       | Fog; Impact; Scratch |
| 763-S0600x | Black       | Clear     | Uvextra™AF         | Fog                  |

## Honeywell





#### Tirade™ Sealed Eyewear

#### Features:

- Frameless, unilens design allows for wide-field peripheral vision.
- Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes,
- Uvextra® anti-fog coated lens reduces fogging, keeping lenses clear.
- Quick-release hinge system converts easily from temples to headband.

Lens Material: Polycarbonate Lens Coating/Shade: Uvextra™AF

Resistance: Fog

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 763-S4040 | Black/Gray  | Clear     |

#### Honeywell UVEX



#### Tomcat<sup>™</sup> Eyewear

#### Features:

- Stay sleek, stylish and secure,
  - with a wrap-around full frame design.
- Provides exceptional peripheral coverage and protection.
- Nosepiece with adjustable saddle pads for fit and comfort.


Test & Approvals: ANSI Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Scratch; Hard Coat

Resistance: Abrasion; Airborne Particulates; Biohazard; Impact; Scratch

| SKU       | Frame Color   | Lens Tint     | III. |
|-----------|---------------|---------------|------|
| 763-S2450 | Gray/Gunmetal | Clear         |      |
| 763-S2451 | Gray/Gunmetal | Gray          |      |
| 763-S2453 | Gray/Gunmetal | Silver Mirror |      |





#### Ultra-spec® 1000 Visitorspec Eyewear

#### Features:

- Wrap-around unilens is constructed of 100% polycarbonate.
- Features solid sideshields for added protection.
- Ideal safety eyewear for worksite visitors.

Test & Approvals: ANSI Z87.1 Lens Material: Polycarbonate Lens Coating/Shade: Uncoated

| SKU        | Frame Color | Lens Tint |
|------------|-------------|-----------|
| 763-S300CS | Clear       | Clear     |





#### Ultra-spec® 2001 OTG Eyewear

#### Features:

- Lightweight over-the-glass unilens design fits over Rx eyewear.
- Adjustable duoflex® temples.
- Imprinting option available.

Test & Approvals: ANSI; CSA Lens Coating/Shade: Anti-Fog

| SKU        | Frame Color | Lens Tint |
|------------|-------------|-----------|
| 763-S0112C | Clear       | Clear     |





#### **Ultra-spec® Safety Eyewear**

#### Features:

- Lightweight over-the-glass unilens design fits over Rx eyewear.
- Adjustable duoflex® temples.
- Imprinting option available.

Test & Approvals: ANSI; CSA

Lens Coating/Shade: Anti-Scratch; Hard Coat

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 763-S0112 | Clear       | Clear     |





#### **Equalizer\* Safety Eyewear**

#### Features:

- Stylized frame features a cutting edge design that is ideal for work and play.
- Sport grip temples eliminate slippage.
- Dual lenses with an 8-base curve provide wrap-around protection.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate Resistance: Scratch

| SKU       | Frame Color | Lens Tint      | Lens Coating/Shade     |
|-----------|-------------|----------------|------------------------|
| 138-21301 | Blue        | Blue Mirror    | Anti-Scratch           |
| 138-21296 | Gunmetal    | Clear          | Anti-Fog; Anti-Scratch |
| 138-21294 | Gunmetal    | Clear          | Anti-Scratch           |
| 138-21298 | Gunmetal    | Indoor/Outdoor | Anti-Scratch           |
| 138-21297 | Gunmeta!    | Smoke          | Anti-Fog; Anti-Scratch |
| 138-21299 | Red         | Amber          | Anti-Scratch           |

## **JACKSON**

# V10 Element\* Safety Eyewear

#### Features:

- · Lightweight popular styling with an economical price.
- Universal nose bridge for comfort.
- Dielectric, thermoplastic construction.
- 100% polycarbonate (no rubber, metal or other components).

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate

Lens Coating/Shade: Uncoated

Resistance: 99.9% UVA/UVB/UVC; Impact

| SKU       | Frame Color | Lens Tint      |
|-----------|-------------|----------------|
| 138-25638 | Black       | Indoor/Outdoor |
| 138-25631 | Black       | Smoke          |
| 138-25627 | Clear       | Clear          |



## V20 Visio\* Safety Eyewear

#### Features:

- One-piece polycarbonate lens with three-point adjustable temples for a comfortable fit.
- Unique duo-tone frame.
- Base Curve 8.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate

| SKU       | Frame Color  | Lens Tint      | Lons Coating/Shade     | Resistance               |
|-----------|--------------|----------------|------------------------|--------------------------|
| 138-14476 | Black        | Indoor/Outdoor | Anti-Scratch ,         | 99.9% UV; Impact         |
| 138-14472 | Black        | Smoke          | Anti-Scratch           | 99.9% UV; Impact         |
| 138-14470 | Clear        | Clear          | Anti-Scratch           | 99.9% UV; Impact         |
| 138-14471 | Clear/Silver | Clear          | Anti-Fog; Anti-Scratch | 99.9% UV; Fog;<br>Impact |





#### **V30 Nemesis Safety Glasses**

#### Features:

- Sporty, flexible, and lightweight design for comfort and compliance.
- Patented FLEX-DRY\* nosepiece design with integrated ridges to divert sweat.
- Every pair includes a neck cord for reduced risk of damage when not being worn.
- Hardcoated lenses for scratch resistance and longer life.

Tests & Approvals: Meets ANSI Z87.1+ standards for impact.

Lens Material: Polycarbonate

Resistance: Scratch; 99.9% UVA/UVB/UVC.

| SKU       |   | Frame Color   | Lens Tint       | Lens Coating/Shade |
|-----------|---|---------------|-----------------|--------------------|
| 138-47417 |   | Camouflage    | Polarized Smoke | Anti-Scratch       |
| 138-47378 |   | Inferno/Red   | Clear           | Anti-Fog           |
| 138-47384 |   | Metallic Blue | Clear           | Anti-Fog           |
| 138-47387 |   | Metallic Blue | Smoke           | Anti-Fog           |
| 138-47388 | , | Silver        | Clear           | Anti-Fog           |
| 138-47383 |   | Silver        | Smoke           | Anti-Fog           |

## **JACKSON**



#### V30 Nemesis\* Polarized Safety Eyewear

#### Features:

- Lens provides 99.9% UV protection.
- Soft-tough temples for ultimate comfort in extended-use situations.
- Superior polarized lens technology reduces eye stress and fatigue caused by excessive glare from surfaces that commonly reflect bright sunlight.
- Wraparound lens with an 8 base curve for greater protection around the eye.

Test & Approvals: ANSI Z87.1+ 2010

Lens Material: Polycarbonate

Lens Coating/Shade : Anti-Scratch; Polarized

Resistance: 99% UVA/UVB; Scratch

| 138-28637  | Brown | Brown |
|--|-------|-------|
| and the same of the same of  |       |       |
|  |       |       |
|  | / Wi- |       |
|  |       |       |
|  |       |       |
|  |       |       |
|  |       |       |
| THE RESERVE OF THE PARTY OF THE |       |       |

## **JACKSON**



#### V30 Nemesis\* S Safety Eyewear

#### Features:

- Contemporary styling, available in a variety of frame colors and lens tints.
- Ensures complete wearer acceptance.
- Fun temple tip colors for individuality.
- Soft-touch temples for added comfort.
- Sporty eyewear that fits the smaller, slimmer head without adjustments.

**Test & Approvals**: ANSI Z87.1+ 2010 **Lens Material**: Polycarbonate

Lens Coating/Shade: Hard Coat Resistance: 99.9% UVA/UVB/UVC; Impact

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-38476 | Black       | Smoke     |

## **JACKSON**

#### V30 Nemesis\* Safety Eyewear

#### Features:

- Sporty, flexible, lightweight design.
- Soft-touch temples for added comfort.
- Single-lens wraparound protection.
- Base Curve 8.

Test & Approvals: ANSI Z87.1+2010 Lens Material: Polycarbonate

| SKU       | Frame<br>Color | Lens Tint            | Lens Coating/Shade                          | Resistance                 |
|-----------|----------------|----------------------|---|----------------------------|
| 138-22476 | Black          | Amber                | Amber Blueshield; Anti-Fog;<br>Anti-Scratch | Blue Light;<br>Scratch; UV |
| 138-25659 | Black          | Amber                | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-14481 | Black          | Blue Mirror          | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-25679 | Black          | Clear                | Anti-Fog; Anti-Scratch                      | 99.9% UV;<br>Scratch       |
| 138-20378 | Black          | Clear                | Anti-Scratch                                | Scratch; UV                |
| 138-25676 | Black          | Clear                | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-19642 | Black          | Copper<br>Blueshield | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-25692 | Black          | IRUV 3.0             | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-25671 | Black          | IRUV 5.0             | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-20381 | Black          | Indoor/Outdoor       | Anti-Scratch; Indoor; Outdoor               | Scratch; UV                |
| 138-25685 | Black          | Indoor/Outdoor       | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-22475 | Black          | Smoke                | Anti-Fog; Anti-Scratch                      | 99.9% UV;<br>Scratch       |
| 138-20380 | Black          | Smoke Mirror         | Anti-Scratch; Mirror Coated;<br>Smoke       | Scratch; UV                |
| 138-25688 | Black          | Smoke Mirror         | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-19639 | Blue           | Light Blue           | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-22610 | Camouflage     | Amber                | Anti-Fog; Anti-Scratch                      | 99.9% UV;<br>Scratch       |
| 138-19644 | Camouflage     | Bronze               | Anti-Scratch                                | 99.9% UV;<br>Scratch       |
| 138-22608 | Camouflage     | Clear                | Anti-Fog; Anti-Scratch                      | 99.9% UV;<br>Scratch       |
| 138-22609 | Camouflage     | Smoke                | Anti-Fog; Anti-Scratch                      | 99.9% UV;<br>Scratch       |
| 138-22611 | Red            | Smoke                | Anti-Scratch                                | 99.9% UV;<br>Scratch       |

## **JACKSON**

#### V30 Nemesis\* VL Safety Eyewear

#### Features:

- Frameless lightweight.
- No-brow design increases upward and peripheral vision.
- Slip-stop temples reduce slipping.
- Compact profile accommodates smaller faces.
- Base Curve 8.

Test & Approvals: ANSI Z87.1+ 2010

Lens Material: Polycarbonate

Resistance: Scratch

| SKU       | Frame Color | Lens Tint      | Lens Coating/Shade     |
|-----------|-------------|----------------|------------------------|
| 138-20472 | Camouflage  | Bronze         | Anti-Scratch           |
| 138-29111 | Gunmetal    | Clear          | Anti-Fog; Anti-Scratch |
| 138-20470 | Gunmetal    | Clear          | Anti-Scratch           |
| 138-20473 | Gunmetal    | IRUV 5.0       | Anti-Scratch           |
| 138-29112 | Gunmetal    | Indoor/Outdoor | Anti-Scratch           |
| 138-25704 | Gunmetal    | Smoke          | Anti-Scratch           |



## **JACKSON**



#### V40 Hellraiser\* Safety Eyewear

#### Features

- Streamlined, sunglass styling with lightweight and flexible design.
- · Flex point temples for comfort and stability.
- Base Curve 8.

**Test & Approvals**: ANSI Z87.1+ 2010 **Lens Material**: Polycarbonate

Resistance: Scratch

|   | SKU       | Frame Color | Lens Tint      | Lens Coating/Shade     |
|---|-----------|-------------|----------------|------------------------|
| 138-28615 Black Clear Anti-Fog; Anti-Scr    | 138-20541 | Black       | Amber          | Anti-Scratch           |
|   | 138-20543 | Black       | Blue Mirror    | Anti-Scratch           |
| 400 00 00 DI I                              | 138-28615 | Black       | Clear          | Anti-Fog; Anti-Scratch |
| 138-20539 Black Clear Anti-Scratch          | 138-20539 | Black       | Clear          | Anti-Scratch           |
| 138-20544 Black IRUV 3.0 Anti-Scratch       | 138-20544 | Black       | IRUV 3.0       | Anti-Scratch           |
| 138-20545 Black IRUV 5.0 Anti-Scratch       | 138-20545 | Black       | IRUV 5.0       | Anti-Scratch           |
| 138-25716 Black Indoor/Outdoor Anti-Scratch | 138-25716 | Black       | Indoor/Outdoor | Anti-Scratch           |
| 138-20542 Black Light Blue Anti-Scratch     | 138-20542 | Black       | Light Blue     | Anti-Scratch           |
| 138-25714 Black Smoke Anti-Scratch          | 138-25714 | Black       | Smoke          | Anti-Scratch           |

## **JACKSON**



#### V50 Calico\* Safety Eyewear

#### Features:

- Lightweight wraparound design for added comfort and protection.
- EN166 N anti-fog coating provides assured protection from lens fogging.
- Interchangeable temples can be removed.
- Cushioned brow bar for additional comfort and ventilation.
- Provides 99.9% UV protection.

Test & Approvals: ANSI Z87.1+ 2010; CSA Z94.3

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

| SKU       | Frame Color | Lens Tint | Resistance                     |
|-----------|-------------|-----------|--------------------------------|
| 417-25672 | Black       | Clear     | 99.9% UVA/UVB; Impact; Scratch |
| 138-25672 | Black       | Clear     | 99.9% UVA/UVB; Impact          |
| 138-25675 | Black       | Smoke     | 99.9% UVA/UVB; Impact          |

## **JACKSON**



#### V50 OTG\* Safety Eyewear

#### Features:

- Stylized frame features a cutting edge design that is ideal for work and play.
- Sport grip temples help to reduce slippage.
- Dual lenses offer wraparound protection.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate

Resistance: Scratch

| SKU       | Frame Color | Lens Tint      | Lens Coating/Shade     |
|-----------|-------------|----------------|------------------------|
| 138-20746 | Black       | Clear          | Anti-Fog; Anti-Scratch |
| 138-21917 | Black       | IRUV 5.0       | Anti-Scratch           |
| 138-20748 | Black       | Indoor/Outdoor | Anti-Scratch           |
| 138-20747 | Black       | Smoke Mirror   | Anti-Fog; Anti-Scratch |

## **JACKSON**

#### V60 Nemesis\* RX Safety Eyewear

#### Features:

- "Cheaters"
- style with diopters for vision assistance.
- Larger lens for wraparound impact protection.
- Enhanced nose piece design to channel away sweat.
- Base Curve 8.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate Lens Coating/Shade: Anti-Scratch

Resistance: Scratch

| SKU       | Frame Color | Lens Tint | Diopter Strength |
|-----------|-------------|-----------|------------------|
| 138-28618 | Black       | Clear     | 1                |
| 138-28621 | Black       | Clear     | 1.5              |
| 138-28624 | Black       | Clear     | 2                |
| 138-28627 | Black       | Clear     | 2.5              |
| 138-28630 | Black       | Clear     | 3                |
| 138-22516 | Black       | Smoke     | 1.5              |
| 138-22519 | Black       | Smoke     | 2.5              |
|           |             |           |                  |

## **JACKSON**

#### V60 Safeview\* Safety Eyewear with RX Inserts

#### Features

- A convenient way to get prescription eyewear into your workplace.
- Lightweight safety glass with adjustable temples for a custom fit.
- No side shields with the prescription safety eyewear.
- Prescription grade lens with the style of Jackson® eyewear.
- Ratch-Action temples.
- RX prescription insert.
- Universal fit.

**Test & Approvals**: ANSI Z87.1+ 2010 **Lens Material**: Polycarbonate

| SKU       | Frame<br>Color | Lens Coating/Shade     | Resistance    | Lens Tint |
|-----------|----------------|------------------------|---------------|-----------|
| 138-38503 | Black          | Anti-Fog; Anti-Scratch | 99.9% UVA/UVB | Clear     |





# Anti-Fog Safety Glasses

#### Features:

- Sleek design makes this a comfortable fit for almost anyone.
- Exclusive duramass scratch-resistant coating.
- Near total seal of eye orbit assures the highest level of protection.
- Gel temple sleeves, and soft gel nose piece for a wider range of comfort and fit.

**Lens Material**: Polycarbonate **Lens Coating/Shade**: Anti-Fog

| SKU         | Lens Tint | Resistance | į |
|-------------|-----------|------------|---|
| 135-CK210AF | Clear     | 99.9% UV   | _ |





# **BearKat® Magnifier Protective Eyewear**

#### Features:

- Single wraparound lens design.
- Flexible temple design.
- Treated with our exclusive Duramass® scratch-resistant coating.
- Non-slip rubber head grips.

Test & Approvals: Meets or Exceeds ANSI Z87.1 Safety Standards

Lens Material: Polycarbonate

| SKU         | Frame<br>Color | Lens<br>Tint     | Diopter<br>Strength | Lens Coating/Shade              | Resistance        |
|-------------|----------------|------------------|---------------------|---------------------------------|-------------------|
| 135-BKH25   | N/A            | Clear            | 2.5                 | Duramass® Hard Coat             | 99.9% UV; Scratch |
| 135-BK117   | N/A            | Silver<br>Mirror | N/A                 | Duramass® Scratch-<br>Resistant | 99.9% UV; Scratch |
| 135-BKH15   | Clear          | Clear            | 1.5                 | Duramass® Hard Coat             | 99.9% UV          |
| 135-BKH20   | Clear          | Clear            | 2                   | Duramass® Hard Coat             | 99.9% UV          |
| 135-BK112AF | Gray           | Gray             | N/A                 | Anti-Fog                        | 99.9% UV          |





#### **BearKat® Protective Eyewear**

#### Features:

- Treated with our exclusive Duramass® scratch-resistant coating.
- Single wraparound lens design.
- Flexible temple design.
- Non-slip rubber head grips.

Test & Approvals: Meets or Exceeds ANSI Z87.1 Safety Standards

Lens Material: Polycarbonate Resistance: 99.9% UV

| SKU         | Lens Tint                   | Lens Coating/Shade                    |
|-------------|-----------------------------|---------------------------------------|
| 135-BK110AF | Clear                       | Anti-Fog; Duramass® Scratch-Resistant |
| 135-BK110   | Clear                       | Duramass® Scratch-Resistant           |
| 135-BK112   | Gray                        | Duramass® Scratch-Resistant           |
| 135-BK119   | Indoor/Outdoor Clear Mirror | Duramass® Scratch-Resistant           |
| 135-BK113   | Light Blue                  | Duramass® Scratch-Resistant           |



#### Blackjack® Elite Protective Eyewear

#### Features:

- Contemporary wrap-around style.
- Provides increased angular coverage and improved peripheral vision.
- Molded-in brow guard and vented sideshields give additional protection.

Test & Approvals: ANSI; CSA; CE; AS/NZS; CGA

Lens Material: Polycarbonate

| SKU         | Frame Color | Lens Tint        | Lens Coating/Shade              | Resistance        |
|-------------|-------------|------------------|---------------------------------|-------------------|
| 135-S2110   | Chrome      | Clear            | Duramass® Hard Coat             | 99.9% UV          |
| 135-S2110AF | Chrome      | Clear            | Duramass® Hard Coat<br>Anti-Fog | 99.9% UV          |
| 135-S21150  | Chrome      | Green Filter 5.0 | Duramass® Hard Coat             | 99.9% UV          |
| 135-S2210   | Clear       | Clear            | Duramass® Hard Coat             | 99.9% UV; Scratch |





#### **Checklite Safety Glasses**

#### Features:

- Trust your safety to rugged polycarbonate lenses.
- Sturdy safety glasses filter out 99.9% of harmful UV rays.
- The smaller frame is perfectly sized to fit smaller faces.
- An excellent choice for everyday use and for new visitors.

Test & Approvals: ANSI Z87.1 - 2003

Lens Material: Polycarbonate

| SKU         | Frame Color | Lens Tint                      | Lens Coating/Shade              | Resistance          |
|-------------|-------------|--------------------------------|---------------------------------|---------------------|
| 135-CL110AF | Clear       | Clear                          | Anti-Fog; Scratch-<br>Resistant | Fog; Scratch;<br>UV |
| 135-CL110   | Clear       | Clear                          | Scratch-Resistant               | Scratch; UV         |
| 135-CL010   | Clear       | Clear                          | Uncoated                        | UV                  |
| 135-CL119   | Clear       | Indoor/Outdoor Clear<br>Mirror | Scratch-Resistant               | Scratch; UV         |
| 135-CL112   | Smoke       | Gray                           | Scratch-Resistant               | 99.9% UV            |





#### Checkmate® Safety Glasses

#### Features

- Universal nose bridge comfortably fits large user audience.
- Near total seal of eye orbit, assures the highest level of protection.

Test & Approvals: Meet or Exceed ANSI Z87.1

Lens Material: Polycarbonate

| SKU         | Frame Color | Lens Tint | Lens Coating/Shade | Resistance |
|-------------|-------------|-----------|--------------------|------------|
| 135-CK112   | Black       | Gray      | Anti-Scratch       | 99.9% UV   |
| 135-CK110AF | Clear       | Clear     | Anti-Fog           | Fog; UV    |
| 135-CK110   | Clear       | Clear     | Anti-Scratch       | 99.9% UV   |
| 135-CK100   | Clear       | Clear     | Uncoated           | UV         |





#### **CK2 Series Safety Glasses**

#### Features:

- Sleek design makes this a comfortable fit for almost anyone.
- Exclusive duramass scratch-resistant coating.
- Near total seal of eye orbit assures the highest level of protection.
- Gel temple sleeves, and soft gel nose piece for a wider range of comfort and fit.

Lens Material: Polycarbonate Resistance: 99.9% UV

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 135-CK210 | Smoke       | Clear     |



#### Klondike® Protective Eyewear

#### Features:

- · Gel nose piece for long-wearing comfort.
- · Adjustable temples ensure comfortable fit for male and female wearers.
- Strong lightweight polycarbonate lens with 11-degree base curve filters out 99.9% of U.V.
- radiation.

Test & Approvals: Meets ANSI 2003 Z87.1 Standards

**Lens Material**: Polycarbonate **Resistance**: 99.9% UV

| SKU         | Frame Color | Lens Tint                   | Lens Coating/Shade               |
|-------------|-------------|-----------------------------|----------------------------------|
| 135-KD110   | Black       | Clear                       | Duramass® Hard Coat              |
| 135-KD110AF | Black       | Clear                       | Duramass® Hard Coat;<br>Anti-Fog |
| 135-KD112   | Black       | Gray                        | Duramass® Hard Coat              |
| 135-KD119   | Black       | Indoor/Outdoor Clear Mirror | Duramass® Hard Coat              |
| 135-KD113   | Black       | Light Blue                  | Duramass® Hard Coat              |





#### **Law OTG® Protective Eyewear**

#### Features:

- Durable nylon frame with 5 position ratcheting temple design for optimum fit.
- Non slip TPR temples for comfort and grip.
- Over the glass designed to fit over prescription eyewear.

Test & Approvals: Meets or Exceeds ANSI Z87.1+ Standard

Lens Material: Polycarbonate Lens Coating/Shade: Anti-Fog Resistance: 99.9% UV

| SKU         | Frame Color | Lens Tint |
|-------------|-------------|-----------|
| 135-0G110AF | Silver      | Clear     |
| 135-0G112AF | Silver      | Gray      |





#### **LAW Protective Eyewear**

#### **Features**

- Fashionable wrap-around lens design offers excellent orbital seal and higher level of protection from side impacts due to its greater coverage area.
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort.

Test & Approvals: Complies with ANSI Z87+ and CSA Z94.3 Standards

Lens Material: Polycarbonate

| SKU         | Frame Color | Lens Tint | Lens Coating/Shade              | Resistance        |
|-------------|-------------|-----------|---------------------------------|-------------------|
| 135-LW310AF | Clear       | Clear     | Duramass® Anti-Fog              |                   |
| 135-LW210   | Clear       | Clear     | Duramass® Scratch-<br>Resistant | 99.9% UV; Scratch |





#### Law® 2 Protective Eyewear

#### Features:

- Attractive safety eyewear with a fashionable, wrap-around design.
- Excellent orbital seal.
- Protective eyewear designed with a wider coverage area that provides effective side protection.

Test & Approvals: Meets or Exceeds ANSI Z87+ Standard

Lens Material: Polycarbonate

Lens Coating/Shade: Duramass® Hard Coat

Resistance: Scratch; UV

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 135-LW212 | Black       | Gray      |





#### **Rattler® Protective Eyewear**

#### Features

- Don't get rattled face situations with caution, with attractive, wrap-around glasses that feature interchangeable 3-position ratcheting bayonet temples.
- Closed cell foam seal provides superior protection from small particles and debris.
- Lightweight nylon frame and polycarbonate wrap-around lens design provide excellent side impact protection.

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Duramass® Scratch-Resistant

Resistance: Dust; Fog; Scratch; Small Particles; UV

| SKU         | Frame Color  | Lens Tint |
|-------------|--------------|-----------|
| 135-RT110AF | Black/Silver | Clear     |





#### **Rubicon Protective Eyewear**

#### Features:

- Aspheric lens design.
- Spring hinge metal temples.
- Gel nosepiece.
- Nylon temple sleeve.

Test & Approvals: Meets or Exceeds ANSI Z87.1 Standard Lens Material: Polycarbonate

| SKU         | Lens Tint  | Lens Coating/Shade            | Resistance             |
|-------------|------------|-------------------------------|------------------------|
| 135-T4110AF | Clear      | Anti-Fog                      | 99.9% UV               |
| 135-T411G   | Emerald    | Scratch-Resistant             | 99.9% UV               |
| 135-T411R   | Fire       | Scratch-Resistant             | 99.9% UV               |
| 135-T4112Af | Gray       | Anti-Fog                      | 99.9% UV               |
| 135-T4113AF | Light Blue | Anti-Fog; Duramass® Hard Coat | 99.9% UV; Fog; Scratch |





#### Storm® Protective Eyewear

#### Features:

- Sturdy eyewear treated with our exclusive Duramass® scratch-resistant coating.
- Single wraparound dual focal point lens with integral side shields.
- · Lightweight polycarbonate lenses filter 99.9% of UV rays.
- Safety eyewear delivers advanced visual acuity and protection.

Test & Approvals: All items meet ANSI Z87.1-2003 Safety Standards Lens Material: Polycarbonate

| SKU        | Frame Color | Lens Tint        | Lens Coating/Shade  | Resistance        |
|------------|-------------|------------------|---------------------|-------------------|
| 135-ST110  | Black       | Clear            | Scratch-Resistant   | Scratch; UV       |
| 135-ST112  | Black       | Gray             | Scratch-Resistant   | Scratch; UV       |
| 135-ST1150 | Black       | Green            | Filter 5.0          | 99.9% UV          |
| 135-ST1130 | Black       | Green Filter 3.0 | Duramass® Hard Coat | 99.9% UV; Scratch |



#### Stratos® Spectacles

#### Features:

- Wrap-around design offers a wide area of protection.
- Integral side shields prevent side-entry of particles.
- Provides an exceptional wide angle of unrestricted vision, allowing users to safely assess environment.
- Rugged polycarbonate lenses filter 99.9% of harmful UV rays.

Test & Approvals: All items meet ANSI Z87.1-2003 Safety Standards

Lens Material: Polycarbonate

Lens Coating/Shade: Scratch-Resistant

Resistance: Scratch; UV

| SKU       | Frame Color | Lens Tint |  |
|-----------|-------------|-----------|--|
| 135-SS110 | Black       | Clear     |  |





#### Swagger® Safety Glasses

#### **Features**

- Go bold, with safety glasses that present a thick, wide, sleek low profile and a modern design.
- Safety glasses offer an excellent orbital seal.
- Soft material co-injected onto temples.
- Soft secure TPR nose pad for additional comfort.

Test & Approvals: Meets or Exceeds ANSI Z87+ Standards Lens Material: Polycarbonate

| SKU        | Frame Color | Lens Tint              | Lens Coating/Shade  | Resistance        |
|------------|-------------|------------------------|---------------------|-------------------|
| 135-SR118B | Black       | Blue Diamond<br>Mirror | Duramass® Hard Coat | 99.9% UV; Scratch |
| 135-SR112  | Black       | Gray                   | Duramass® Hard Coat | 99.9% UV          |
| 135-SR148B | Clear       | Blue Diamond<br>Mirror | Duramass® Hard Coat | 99.9% UV; Scratch |
| 135-SR14R  | Clear/Red   | Fire Mirror            | Duramass® Hard Coat | 99.9% UV; Scratch |
| 135-SR128B | White       | Blue Diamond<br>Mirror | Duramass® Hard Coat | 99.9% UV          |





#### **Tacoma® Protective Eyewear**

#### Features:

- One piece wrap-around lens delivers a wide field of vision and lateral impact protection.
- Spatula temple with extendable adjustment.

**Test & Approvals:** All items meet ANSI Z87.1-2003 Safety Standards; Some of the items in this style also meet Canadian Standards Association (CSA Z94.3), European CE (EN166), and Australian (AS/NZS1337) Safety Standards

Lens Material: Polycarbonate

Lens Coating/Shade: Duramass® Hard Coat

Resistance: 99.9% UV; Scratch

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 135-TC110 | Black       | Clear     |





#### Features:

- Trust your safety to sturdy, protective eyewear treated with the exclusive Duramass® scratch-resistant coating.
- Fully adjustable, five position, ratchet action temples ensure user comfort.
- Wrap-around design with integral sideshields.

**Test & Approvals**: All items meet ANSI Z87.1-2003 Safety Standards **Lens Material**: Polycarbonate

| SKU       | Frame Color | Lens Tint | Lens Coating/Shade  | Resistance        |
|-----------|-------------|-----------|---------------------|-------------------|
| 135-TK110 | Black       | Clear     | Scratch-Resistant   | Scratch; UV       |
| 135-TK112 | Black       | Gray      | Duramass® Hard Coat | 99.9% UV; Scratch |





#### Yukon® Protective Eyewear

#### Features:

- Stylish wrap-around style safety glasses with a contemporary design.
- Broad design provides increased angular coverage and improved peripheral vision.
- Treated with Duramass® scratch-resistant coating.

**Test & Approvals:** All items meet ANSI Z87.1-2003 Safety Standards; Some of the items in this style also meet Canadian Standards Association (CSA Z94.3), European CE (EN166), and Australian (AS/NZS1337) Safety Standards

Lens Material: Polycarbonate

Lens Coating/Shade: Duramass® Hard Coat; Filter 5.0

Resistance: Scratch

| SKU       | Frame Color | Lens Tint  |
|-----------|-------------|------------|
| 135-98150 | Green       | Filter 5.0 |



Yukon® Uncoated



## **Protective Eyewear**

#### Features:

- Contemporary wrap-around style.
- Provides increased angular coverage and improved peripheral vision.
- Molded-in brow guard and vented sideshields give additional protection.

Test & Approvals: Meets ANSI Z87.1-2003 Safety Standards

Lens Material: Polycarbonate Lens Coating/Shade: Uncoated Resistance: 99.9% UV`

| SKU        | Frame Color | Lens Tint |
|------------|-------------|-----------|
| SKU        | Frame Golds | Lens fint |
| 135-9800XL | Clear       | Clear     |



### Arctic<sup>™</sup> Elite Protective Eyewear

#### Features:

Ultramodern

look with a comfortable, lightweight fit.

- Anti-fog coating ensures good vision under any conditions.
- Flexible rubber-tipped temples and nosebridge provide comfortable, all-day wearing.

Test & Approvals: ANSI/ISEA Z87.1-2010 (z87+)

Lens Material: Polycarbonate Lens Coating/Shade: Anti-Fog

Resistance: Fog

| SKU                 | Frame Color | Lens Tint |
|---------------------|-------------|-----------|
| General Outdoor Use |             |           |
| 454-10038846        | Black/Gray  | Grav      |
| Humid Indoor Use    |             |           |
| 454-10038845        | Clear       | Clear     |





#### **Arctic™ Protective Eyewear**

#### Features

- Built-in side impact protection.
- Stylish cat's eye look.
- Tuff-Stuff<sup>™</sup> anti-scratch lens coating.

Lens Material: Polycarbonate

| SKU        | Frame Color | Lens Tint | Resistance           |
|------------|-------------|-----------|----------------------|
| 454-697514 | Clear       | Clear     | Scratch; Side Impact |
| 454-697515 | Gray        | Gray      | Scratch; Side Impact |





#### Rx Overglasses

#### Features

- Royal blue horizontal and vertical adjustable temples.
- Wide-angle viewing without distortion.
- · Limited lens curvature for the best optics.
- Fits over most prescription eyewear.

**Test & Approvals**: Complies with all applicable high-impact test requirements of ANZI Z87.1.

Léns Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Scratch-Resistant; Tuff-Stuff™

Resistance: Fog; Scratch

| SKU            | Frame Color | Lens Tint |
|----------------|-------------|-----------|
| 454-10008175   | Blue        | Clear     |
| (10)           |             |           |
| Smith & Wesson |             |           |
|                | *           | V Same    |
|                |             |           |

#### 38 Special Safety Eyewear

#### Features:

- Legendary frame design.
- Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate Lens Coating/Shade: Anti-Scratch

Resistance: Scratch

| SKU       | Frame Color | Lens Tint |  |
|-----------|-------------|-----------|--|
| 138-19859 | Black       | Smoke     |  |





#### 38 SPECIAL\* Safety Eyewear

#### Features:

- Legendary frame design.
- Ergonomically designed temples with rubber inserts temple tips for a soft, snug and secure fit.
- Base Curve 8.

Test & Approvals: ANSI Z87.1+ 2010; CSA Z94.3

Lens Material: Polycarbonate Lens Coating/Shade: Anti-Scratch Resistance: 99.9% UVA/UVB/UVC; Impact

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-19856 | Black       | Clear     |





#### Code 4\* Safety Eyewear

#### Features:

- Ribbed, non-slip rubber nose cushion.
- · Contoured temple tips for precise fit.
- Hinge stops help to prevent lens damage. Stylish frame feature with cutting edge design ideal for work and play.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate Lens Coating/Shade: Anti-Scratch

Resistance: Scratch

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-19833 | Black       | Clear     |



Smith & Wesson'



#### **Elite® Safety Eyewear**

#### Features

- Lightweight "retro-style" design provides the latest fashion statement.
- Wide temple design provides structural integrity and stability.
- Dual lenses with an 8-base curve provide wrap-around protection.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate

Resistance: Scratch

| SKU       | Frame Color | Lens Tint      | Lens Coating/Shade     |
|-----------|-------------|----------------|------------------------|
| 138-21302 | Black       | Clear          | Anti-Fog; Anti-Scratch |
| 138-21303 | Black       | Smoke          | Anti-Fog; Anti-Scratch |
| 138-21305 | Black       | Amber          | Anti-Fog; Anti-Scratch |
| 138-21307 | Black       | Blue Mirror    | Anti-Scratch           |
| 138-21306 | Black       | Indoor/Outdoor | Anti-Scratch           |



# Sill History .

#### Magnum® 3G Safety Eyewear

#### Features:

- Built-in hinge stops to help prevent lens damage.
- Ergonomically dimensioned 3-point fit for the ultimate in comfort; self-adjusting nose pad with rubber fingers.
- Cut lens for distortion-free optics.

Test & Approvals: ANSI Z87.1+ 2010 Lens Material: Polycarbonate

| SKU       | Frame Color | Lens Tint | Lens Coating/Shade     | Resistance   |
|-----------|-------------|-----------|------------------------|--------------|
| 138-19826 | Black       | Amber     | Anti-Scratch           | Scratch      |
| 138-19794 | Black       | Clear     | Anti-Fog; Anti-Scratch | Fog; Scratch |
| 138-19799 | Black       | Clear     | Anti-Scratch           | Scratch      |
| 138-19823 | Black       | Smoke     | Anti-Scratch           | Scratch      |
| 138-19961 | Silver      | Clear     | Anti-Scratch           | Scratch; UV  |
| Magnum® N | lini        |           |                        |              |
| 138-19822 | Black       | Clear     | Anti-Scratch           | Scratch      |





#### V60 30-06\* Dual Readers Safety Eyewear

#### Features:

- Perfect for individuals who work above their heads or upside down and need to look up for near vision as well as down.
- Base Curve 7.

Test & Approvals: ANSI Z87.1+ 2010

Diopter Strength: 1.5
Lens Material: Polycarbonate
Lens Coating/Shade: Anti-Scratch

Resistance: 99.9% UVA/UVB/UVC; Scratch

| SKU       | Frame Color | Lens Tint | 8 |
|-----------|-------------|-----------|---|
| 138-20387 | Black       | Clear     |   |





#### V60 30-06\* RX Safety Eyewear

#### Features:

- · Stylish, ergonomic frame.
- Soft, comfortable, self-adjusting, rubber nose pad.
- "Cheater" style with diopter for vision assistance.
- Base Curve 7.

Test & Approvals: ANSI Z87.1+ 2010

Lens Material: Polycarbonate Lens Coating/Shade: Anti-Scratch

Resistance: Scratch

| SKU       | Frame Color | Lens Tint | Diopter Strength |
|-----------|-------------|-----------|------------------|
| 138-19878 | Black       | Clear     | 1.5              |
| 138-19879 | Black       | Clear     | 2                |

#### Centurion® Splash Goggles

#### Features:

- Durable polycarbonate lens absorbs 99.9% UV rays.
- Fits over most eyeglasses.


Test & Approvals: Meets ANSI Z87.1 and CAN / CSA-Z94.3 Standards

Lens Coating/Shade: Anti-Fog Lens Material: Polycarbonate Frame Material: HSE Plastics Ventilation: Indirect Strap Material: Rubber

| SKU                | Frame Color | Lens Tint |
|--------------------|-------------|-----------|
| 247-40305-00000-10 | Clear       | Clear     |

#### WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.





#### **Soft Protective Goggles**

- Soft frame fits snugly and comfortably over face and prescription glasses.
- Transparent frame allows vision in all directions.
- Direct ventilation is provided by perforations in the frame on top and bottom.

Test & Approvals: Meets ANSI Z87.1+

Lens Material: Polycarhonate

| Lens Material. Polycarbonat |
|-----------------------------|
| Frame Material: Vinyl       |
| Ventilation: Direct         |
|                             |

| SKU         | Lens Tint |
|-------------|-----------|
| 101-AB-G350 | Clear     |
|             | 14        |
| ANCHOR      |           |
| ANCHORV     |           |



#### Features:

- Soft frame fits snugly and comfortably over face and prescription glasses.
- Transparent frame allows vision in all directions.
- 4-one piece molded plastic vents.

Test & Approvals: Meets ANSI Z87.1+

Lens Material: Polycarbonate Frame Material: Vinyl

Ventilation: Indirect 101-AB-G351 Clear



#### **Cup Goggles**

#### Features:

- Baffled side-shields allow maximum ventilation while preventing entry of light.
- · Adjustable elastic headband and nose piece for comfort.
- Lightweight and durable.

Test & Approvals: Meets or Exceeds ANSI Z87.1, CSA Z94.3, CE and various International Standards

Lens Coating/Shade: IR/UV 5.0 Lens Material: Polycarbonate Frame Material: Hard Plastic Ventilation: Indirect

| SKU        | CONTROL OF THE PARTY OF THE PAR |           |
|------------|--|-----------|
| SKU        | Frame Color  | Lens Tint |
| 901-WG-50C | Green  | Green     |






#### **Flip Front Soft Vinyl Goggles**

- Soft vinyl frame comfortably molds to the face and fits easily over prescription glasses.
- Hooded vents to prevent fogging.
- Features a 50 mm lift front lens for dual usage and added safety.
- Complete with shade 5 lens.

Lens Coating/Shade: "IR/UV 5.0 Coating; #5 Shade"

Lens Material: Polycarbonate Frame Material: Vinyl Ventilation: Hooded Vent Strap Material: Elastic

| SKU            | Frame Color | Lèns Tint |
|----------------|-------------|-----------|
| 901-WG-LF-50MM | Green       | Green     |





#### **Ridged Goggle**

#### Features:

- · Contoured shape fits snugly for comfort.
- Fits over Rx glasses.
- Parts easily removable for replacement.

Lens Coating/Shade: IR/UV 5.0 Lens Material: Hardened Glass Frame Material: Hard Plastic

| SKU            | Frame Color | Lens Tint |  |
|----------------|-------------|-----------|--|
| 901-WG-2414RFF | Green       | Green     |  |



#### **Soft-Sided Goggle**

#### Features:

- Soft frame fits snugly and comfortably over face and Rx glasses.
- Hooded vents offer maximum fog-free protection.
- Accommodates magnifier plate.

Lens Coating/Shade: IR/UV 5.0 Lens Material: Hardened Glass Frame Material: Vinyl

| SKU            | Frame Color | Lens Tint |
|----------------|-------------|-----------|
| Fixed Front    |             |           |
| 901-WG-2414SFF | Green       | Green     |
| Lift Front     |             |           |
| 901-WG-2414SLF | Green       | Green     |

#### Honeywell

UVEX

#### Classic™ Goggles

#### Features:

- Classic protective safety goggles.
- Fits over most prescription eyewear.
- Adjustable neoprene band.

Test & Approvals: ANSI; CSA

Lens Coating/Shade: Uvextreme®

Lens Material: Polycarbonate

Frame Material: PVC Ventilation: Indirect Strap Material: Neoprene

| SKU      | Frame Color | Lens Tint |
|----------|-------------|-----------|
| 763-S360 | Clear       | Clear     |

#### Honeywell UVEX



#### Flex Seal™ Goggles

#### Features:

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection.
- Cured silicone body stays soft and supple in extreme temperatures.
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears.
- Fits over most prescription eyewear.

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 Standards

Lens Coating/Shade: Uvextreme® Lens Material: Polycarbonate Frame Material: Silicone Ventilation: Indirect

Strap Material: Neoprene

| SKU        | Frame Color | Lens Tint |  |
|------------|-------------|-----------|--|
| 763-S3400X | Navv        | Clear     |  |

#### Honeywell

UVEX



#### Futura™ Goggles

#### Features:

- Wrap-around sports style provides excellent panoramic vision.
- Frosted brow guard reduces glare.
- 2 models: welding and dust/mist/impact/chemical splash.
- Fits over most prescription eyewear.

Test & Approvals: ANSI; CSA
Lens Coating/Shade: Uvextreme®
Lens Material: Polycarbonate
Frame Material: PVC

Frame Material: PVC
Ventilation: Indirect Vent
Strap Material: Neoprene

| SKU       | Frame Color | Lens Tint |  |
|-----------|-------------|-----------|--|
| 763-S345C | Clear       | Clear     |  |

#### Honeywell UVEX



#### Stealth® Goggles

#### Features:

- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.
- Prescription insert available.


Lens Material: Polycarbonate Ventilation: Indirect Vent

| SKU         | Frama<br>Color | Lens<br>Tint | Lens Coating/<br>Shade               | Frame Material                  | Strap<br>Material   |
|-------------|----------------|--------------|--------------------------------------|---------------------------------|---------------------|
| 763-S3960HS | Gray           | Clear        | HydroShield <sup>w</sup><br>Anti-Fog | Elastomer                       | Neoprene,<br>Rubber |
| 763-S3960C  | Gray           | Clear        | Uvextreme®                           | Polypropylene with<br>Elastomer | Neoprene            |
| 763-S3961C  | Gray           | Gray         | Uvextreme®                           | Polypropylene with<br>Elastomer | Neoprene            |
| 763-S39610C | Teal/Gray      | Clear        | Uvextreme®                           | Polypropylene with<br>Elastomer | Neoprene            |

#### Honeywell UVEX

#### Stealth® OTG Goggles

#### Features:



- Pivoting headband clip and wide adjustable slide headband provides a range of adjustability and all day comfort.
- Available with Durastreme dual coating technology.
- Easy lens replacement system.

Test & Approvals: Meets ANSI Z87+ and CSA Z94.3 Safety Standards

Lens Coating/Shade: Dura-Streme™
Lens Material: Polycarbonate
Frame Material: Elastomer
Ventilation: Indirect Vent

| SKU         | Frame Color | Lens Tint | Strap Material |
|-------------|-------------|-----------|----------------|
| 763-S3970D  | Navy        | Clear     | Neoprene       |
| 763-S3970DF | Navy        | Clear     | Fabric         |

#### **JACKSON**

#### V100 WA Series IRUV **Cutting Goggles**

#### Features:

- Ratchet headgear for a comfortable fit.
- Also available in a deep frame to fit over most prescription eyeglasses.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Coating/Shade: IR/UV Lens Material: Polycarbonate Frame Material: PVC Ventilation: Ventless Strap Material: Plastic

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-15988 | Red         | IR/UV 5.0 |

#### JACKSON



#### V100 WR Series IRUV Cutting Goggles

#### Features:

- Rigid frame with an adjustable elastic strap.
- Also available in a deep frame to fit over most prescription eyeglasses.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Coating/Shade: IRUV 5.0 Lens Material: Polycarbonate Frame Material: Polycarbonate

Ventilation: Ventless Strap Material: Elastic

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-15986 | Red         | IR 5.0    |

### JACKSON



#### V100 WS Series IRUV **Cutting Goggles**

#### Features:

- Flexible frame goggles for use in cutting and welding.
- Fixed front lens.
- Adjustable elastic strap.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Coating/Shade: IRUV 5.0 Lens Material: Polycarbonate Frame Material: Polycarbonate

Ventilation: Ventless Strap Material: Elastic

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-15991 | Red         | IR/UV 5.0 |
| 138-15992 | Red         | IR/UV 5.0 |

#### *JACKSON*



#### V80 MONOGOGGLE\* 211 Goggles

#### Features:

- Indirect ventilation system provides increased airflow, minimized condensation & fogging and protects against splash.
- Soft frame design with pantascopic angle to improve work area visibility.
- Soft, pliable plastic nosepiece for snug, comfortable seal.
- Can be worn over most prescription glasses.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Material: Polycarbonate Ventilation: Indirect Vent

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-16668 | Green       | Clear     |

#### **JACKSON**



#### Features:

- This stylish goggle protects against splashes, while providing increased visibility due to its cylindrical lens.
- A soft, pliable frame conforms to the face for comfort and is easy to clean.
- Can be worn over most prescription eyeglasses.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Coating/Shade: Anti-Fog Lens Material: Polycarbonate Frame Material: PVC Ventilation: Indirect

Strap Material: Elastic

| SKU       | Frame Color | Lens Tint |
|-----------|-------------|-----------|
| 138-18624 | Blue        | Clear     |

#### **JACKSON**



#### **V80 WILDCAT\* Goggles**

#### Features:

- Extreme heat resistance will not melt, drip or ignite at 350°F for five minutes.
- Adjustable side vents to help increase airflow.
- · Lightweight and comfortable with a pivot headband that allows for optimal placement.

Test & Approvals: Meets ANSI Z87.1+ Standard; CSA Z94.3 Compliant

Lens Coating/Shade: Anti-Fog Lens Material: Polycarbonate Strap Material: Elastic

| SKU       | Frame Color | Lens Tint | Frame Material |
|-----------|-------------|-----------|----------------|
| 138-20525 | Black       | Clear     | PPR            |
| 138-20528 | Black       | IR/UV 3.0 | TPE            |
| 138-20529 | Black       | IR/UV 5.0 | PPR            |
| 138-20526 | Black       | Smoke     | TPE            |

#### **JACKSON**



#### **V90 SHIELD\* Goggles**

#### Features:

- Features the Monogoggle\* XTR\* with polycarbonate shield for full face protection.
- Shield detaches from the goggle.
- Curved face shield conforms to shape of face offering added protection.
- Can be used over most prescription eyeglasses.

Test & Approvals: Meets ANSI Z87.1+ Standards

Lens Coating/Shade: Anti-Fog Lens Material: Polycarbonate Frame Material: PVC

|  | Frame Material: PVC    |
|--|------------------------|
|  | Strap Material: Elasti |
|  |                        |

| SKU       | Frame Color | Lens Tint | Ventilation   |
|-----------|-------------|-----------|---------------|
| 138-18633 | Black       | IR/UV 5.0 | Indirect Vent |
| 138-18629 | Blue        | Clear     | indirect Vent |





#### **Protective Goggles**

#### Features:

- Provides wide, unobstructed field of vision.
- · Permits comfortable fit over prescription eyewear.
- · Protects against impact.
- Features Duramass® scratch-resistant coating.
- Polycarbonate lens filters 99.9% of harmful UV rays.

Test & Approvals: ANSI; CSA; AS/NZS

Lens Material: PVC Frame Material: PVC Strap Material: Elastic

| SKU       | Frame Color | Lens Tint | Lens Coating/Shade | Ventilation   |
|-----------|-------------|-----------|--------------------|---------------|
| 135-2235R | Clear       | Clear     | Anti-Fog           | Indirect Vent |
| 135-2220  | Clear       | Clear     | Clear              | Direct Vent   |
| 135-2230R | Clear       | Clear     | Clear              | Indirect Vent |





#### **Verdict® Goggles**

#### Features:

- Provides wide, unobstructed field of vision.
- · Can be worn with most half-mask respirators.
- Features Duramass® scratch-resistant coating.
- Impact-resistant.
- Smoke-tinted PVC frame.

**Test & Approvals**: All items meet ANSI Z87.1-2003 Safety Standards; Some of the items in this style also meet Canadian Standards Association (CSA Z94.3), European CE (EN166), and Australian (AS/NZS1337) Safety Standards

Lens Coating/Shade: Anti-Fog Lens Material: Polycarbonate Strap Material: Elastic

| SKU       | Frame Color | Lens Tint | Ventilation   |
|-----------|-------------|-----------|---------------|
| 135-2410F | Smoke       | Clear     | Indirect Vent |





#### **Goggle Bands**

#### Features:

- Top quality 1/2" elastic headbands.
- Nickel plated lock installed.

Material: Elastic

Color: Red/White/BlueQuantity: 4 per box

| sku        | Length | Width  | Height |
|------------|--------|--------|--------|
| 101-AB-GB1 | 25 in  | 1/2 in | 2.5 cm |





#### Stealth® Replacement Lenses

#### Features:

- Minimizes outdoor sunlight and glare.
- Offer 99.9% ultra-violet protection.

| SKU       | Lens Coating/Shade | Lens Tint |
|-----------|--------------------|-----------|
| 763-S700C | Uvextreme®         | Clear     |
| 763-S701C | Uvextreme®         | Gray      |